

# UP ver.3.55 Device Support List

2022-04-04

## List of supported families

[PIC10Fxxx](#)  
[PIC12Fxxx](#)  
[PIC16F14xx](#)  
[PIC16F15xx](#)  
[PIC16F16xx](#)  
[PIC16F17xx](#)  
[PIC16F18xx](#)  
[PIC16F19xx](#)  
[PIC16F5x](#)  
[PIC16F6xx](#)  
[PIC16F7xx](#)  
[PIC16F8xx](#)  
[PIC16F87x](#)  
[PIC16F9xx](#)  
[PIC18Fxxx](#)  
[PIC18Fxx20](#)  
[PIC18Fxx2x](#)  
[\*\*PIC18F2/4xx0/5\*\*](#)  
[PIC18Fxx30](#)  
[PIC18Fxx31](#)  
[PIC18Fxx39](#)  
[PIC18Fxx8x](#)  
[PIC18Fxx90](#)  
[PIC18F2xJxx](#)  
[PIC18F4xJxx](#)  
[PIC18F6xJxx](#)  
[PIC18F8xJxx](#)  
[PIC18F9xJxx](#)  
[PIC18FxxKxx](#)  
[PIC18FxxQxx](#)  
[PIC12Cxxx](#)  
[rfPIC12xxxx](#)  
[PIC16C43x](#)  
[PIC16C5xx](#)  
[PIC16C6xx](#)  
[PIC16C7xx](#)  
[PIC16C9xx](#)  
[PIC24](#)  
[PIC32MK](#)  
[PIC32MM](#)  
[PIC32MX](#)  
[PIC32MZ](#)  
[dsPIC30F](#)  
[dsPIC33](#)  
[AVR](#)  
[AVR TPI](#)  
[AVR UPDI](#)  
[AVR ATxmega](#)

**AVR32**  
**Atmel 8051 arch.**  
**ARM**  
**R5F1xx (RL78)**  
**R5F56x (RX600)**  
**MSP430F1xx**  
**MSP430F2xx**  
**MSP430F4xx**  
**MSP430F5xx**  
**MSP430F6xxx**  
**MSP430FR2xxx**  
**MSP430G2xxx**  
**MSP430I2xxx**  
**CC430xxxx**  
**CCxxxx**  
**EFM8**  
**C8051**  
**STM8**  
**HCS08**  
**PSoc**  
**FPGA**  
**1-Wire**  
**UNI/O EEPROM**  
**I2C EEPROM**  
**SPI EEPROM**  
**SPI FLASH EPROM**  
**MicroWire EEPROM**  
**HCSxxx**

DEVICE	FORTE	PRESTO
<b>PIC10Fxxx</b>	FORTE	PRESTO
<b>PIC10F200</b>	YES, 4.5-5.5V	YES
<b>PIC10F202</b>	YES, 4.5-5.5V	YES
<b>PIC10F204</b>	YES, 4.5-5.5V	YES
<b>PIC10F206</b>	YES, 4.5-5.5V	YES
<b>PIC10F220</b>	YES, 4.5-5.5V	YES
<b>PIC10F222</b>	YES, 4.5-5.5V	YES
<b>PIC10F320</b>	YES, 2.3-5.5V	YES, ≤5V
<b>PIC10F322</b>	YES, 2.3-5.5V	YES, ≤5V
<b>PIC10LF320</b>	YES, 1.8-3.6V	YES, 3V
<b>PIC10LF322</b>	YES, 1.8-3.6V	YES, 3V
<b>PIC12Fxxx</b>	FORTE	PRESTO
<b>PIC12F1501</b>	YES, 2.3-5.5V	YES, ≤5V <sup>3)</sup>
<b>PIC12F1571</b>	YES, 2.3-5.5V	YES, ≤5V <sup>3)</sup>
<b>PIC12F1572</b>	YES, 2.3-5.5V	YES, ≤5V <sup>3)</sup>
<b>PIC12F1612</b>	YES, 2.3-5.5V	YES, ≤5V <sup>3)</sup>
<b>PIC12F1822</b>	YES, 2.1-5.5V	YES, ≤5V <sup>3)</sup>
<b>PIC12F1840</b>	YES, 2.1-5.5V	YES, ≤5V <sup>3)</sup>
<b>PIC12F508</b>	YES, 4.5-5.5V	YES
<b>PIC12F509</b>	YES, 4.5-5.5V	YES
<b>PIC12F510</b>	YES, 4.5-5.5V	YES
<b>PIC12F519</b>	YES, 4.5-5.5V	YES

<b>PIC12F529T39A</b>	<b>YES, 2.7-3.7V</b>	<b>YES, 3V</b>
<b>PIC12F609</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V</b>
<b>PIC12F615</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V</b>
<b>PIC12F617</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V</b>
<b>PIC12F629</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC12F635</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC12F675</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC12F683</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC12F752</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V</b>
<b>PIC12LF1501</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC12LF1552</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC12LF1571</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC12LF1572</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC12LF1612</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC12LF1822</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC12LF1840</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16F14xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16F1454</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1455</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1459</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16LF1454</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1455</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1459</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16F15xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16F1503</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1507</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1508</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1509</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1512</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1513</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1516</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1517</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1518</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1519</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15213</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15214</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15223</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15224</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15225</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15243</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15244</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15245</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15254</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15255</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15256</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1526</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1527</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15274</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15275</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15276</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F15313</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>

<b>PIC16F15323</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F15324</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F15325</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F15344</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F15345</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F15354</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F15355</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F15356</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F15375</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F15376</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F15385</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F15386</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1574</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1575</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1578</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1579</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16LF1503</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1507</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1508</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1509</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1512</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1513</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1516</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1517</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1518</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1519</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1526</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1527</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15313</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15323</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15324</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15325</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15344</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15345</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15354</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15355</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15356</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15375</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15376</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15385</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF15386</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1554</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1559</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1566</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1567</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1574</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1575</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1578</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1579</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16F16xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16F1613</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>

<b>PIC16F1614</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1615</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1618</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1619</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16LF1612</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1613</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1615</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1618</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1619</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16F17xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16F1703</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1704</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1705</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1707</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1708</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1709</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1713</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1716</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1717</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1718</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1719</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1764</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1765</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1768</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1769</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1773</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1776</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1777</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1778</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1779</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1782</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1783</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1784</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1786</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1787</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1788</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F1789</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16LF1703</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1704</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1705</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1707</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1708</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1709</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1713</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1716</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1717</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1718</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1719</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1764</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1765</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1768</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>

<b>PIC16LF1769</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1773</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1776</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1777</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1778</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1779</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1782</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1783</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1784</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1786</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1787</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1788</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1789</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16F18xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16F1823</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1824</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1825</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1826</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1827</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1828</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1829</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18313</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18323</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18324</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18325</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18326</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18344</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18345</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18346</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18424</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18425</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18426</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18444</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18445</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18446</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18455</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18456</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1847</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18854</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18855</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18856</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18857</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18875</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18876</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F18877</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16LF1823</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1824</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1825</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1826</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1827</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1828</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>

<b>PIC16LF1829</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18313</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18323</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18324</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18325</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18326</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18344</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18345</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18346</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18424</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18425</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18426</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18444</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18445</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18446</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18455</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18456</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1847</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18854</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18855</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18856</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18857</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18875</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18876</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF18877</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16F19xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16F19155</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F19156</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F19175</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F19176</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F19185</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F19186</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F19195</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F19196</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F19197</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1933</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1934</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1936</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1937</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1938</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1939</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1946</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F1947</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16LF1902</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1903</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1904</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1906</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1907</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF19155</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF19156</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF19175</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>

<b>PIC16LF19176</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF19185</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF19186</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF19195</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF19196</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF19197</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1933</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1934</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1936</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1937</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1938</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1939</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1946</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16LF1947</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC16F5x</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16F505</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F506</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F526</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F527</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F54</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F57</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F570</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F59</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F6xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16F610</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V</b>
<b>PIC16F616</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V</b>
<b>PIC16F627</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F627A</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V</b>
<b>PIC16F628</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F628A</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V</b>
<b>PIC16F630</b>	<b>YES, 2.0-5.5V</b>	<b>YES</b>
<b>PIC16F631</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F636</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F639</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F648A</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V</b>
<b>PIC16F676</b>	<b>YES, 2.0-5.5V</b>	<b>YES</b>
<b>PIC16F677</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F684</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F685</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F687</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F688</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F689</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F690</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F7xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16F707</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F716</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F722</b>	<b>YES, 4.7-5.2V</b>	<b>YES</b>
<b>PIC16F720</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F721</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F722</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F722A</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC16F723</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>

<b>PIC16F723A</b>	<b>YES, 2.7-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F724</b>	<b>YES, 2.7-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F726</b>	<b>YES, 2.7-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F727</b>	<b>YES, 2.7-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F73</b>	<b>YES, 4.7-5.2V</b>	<b>YES</b>
<b>PIC16F737</b>	<b>YES, 4.7-5.2V</b>	<b>YES</b>
<b>PIC16F74</b>	<b>YES, 4.7-5.2V</b>	<b>YES</b>
<b>PIC16F747</b>	<b>YES, 4.7-5.2V</b>	<b>YES</b>
<b>PIC16F753</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F76</b>	<b>YES, 4.7-5.2V</b>	<b>YES</b>
<b>PIC16F767</b>	<b>YES, 4.7-5.2V</b>	<b>YES</b>
<b>PIC16F77</b>	<b>YES, 4.7-5.2V</b>	<b>YES</b>
<b>PIC16F777</b>	<b>YES, 4.7-5.2V</b>	<b>YES</b>
<b>PIC16F785</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16LF707</b>	<b>YES, 2.1-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC16LF720</b>	<b>YES, 2.1-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC16LF721</b>	<b>YES, 2.1-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC16LF722</b>	<b>YES, 2.1-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC16LF723</b>	<b>YES, 2.1-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC16LF724</b>	<b>YES, 2.1-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC16LF726</b>	<b>YES, 2.1-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC16LF727</b>	<b>YES, 2.1-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC16F8xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16C84</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F818</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F819</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F83</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F84</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F84A</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16F87</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F88</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F882</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F883</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F884</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F886</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F887</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F87x</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16F870</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F871</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F872</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F873</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F873A</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F874</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F874A</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F876</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F876A</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F877</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F877A</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC16F9xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16F913</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F914</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F916</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>

<b>PIC16F917</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC16F946</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18Fxxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F242</b>	<b>YES, 2.1-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F248</b>	<b>YES, 2.1-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F252</b>	<b>YES, 2.1-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F258</b>	<b>YES, 2.1-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F442</b>	<b>YES, 2.1-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F448</b>	<b>YES, 2.1-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F452</b>	<b>YES, 2.1-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F458</b>	<b>YES, 2.1-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18Fxx20</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F1220</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F1320</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F2220</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F2320</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F4220</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F4320</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F6520</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F6620</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F6720</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F8520</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F8620</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F8720</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18Fxx2x</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F2221</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2321</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2423</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2523</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4221</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4321</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4423</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4523</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F6525</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F6527</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F6621</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F6622</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F6627</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F6628</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F6722</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F6723</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F8525</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F8527</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F8621</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F8622</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F8627</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F8628</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F8722</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F8723</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F2/4xx0/5</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F2410</b>	<b>YES, 3.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2420</b>	<b>YES, 2.2-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2450</b>	<b>YES, 3.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>

<b>PIC18F2455</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2458</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2480</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2510</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2515</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2520</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2525</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2550</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2553</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2580</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2585</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2610</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2620</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2680</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4410</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4420</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4450</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4455</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4458</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4480</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4510</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4515</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4520</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4525</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4550</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4553</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4580</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4585</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4610</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4620</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4680</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18Fxx30</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F1230</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F1330</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18Fxx31</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F2331</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F2431</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F4331</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F4431</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18Fxx39</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F2439</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F2539</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F4439</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F4539</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18Fxx8x</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F2682</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F2685</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4682</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F4685</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F6585</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>
<b>PIC18F6680</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V</math></b>

<b>PIC18F8585</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V</b>
<b>PIC18F8680</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V</b>
<b>PIC18Fxx90</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F6310</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F6390</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F6393</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F6410</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F6490</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F6493</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F8310</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F8390</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F8393</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F8410</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F8490</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F8493</b>	<b>YES, 2.0-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F2xJxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F24J10</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F24J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F24J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F25J10</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F25J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F25J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F26J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F26J13</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F26J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F26J53</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F27J13</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F27J53</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF24J10</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF24J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF24J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF25J10</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF25J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF25J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF26J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF26J13</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF26J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF26J53</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF27J13</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF27J53</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F4xJxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F44J10</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F44J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F44J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F45J10</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F45J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F45J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F46J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F46J13</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F46J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F46J53</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F47J13</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F47J53</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>

<b>PIC18LF44J10</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF44J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF44J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF45J10</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF45J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF45J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF46J11</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF46J13</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF46J50</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF46J53</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF47J13</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18LF47J53</b>	<b>YES, 2.9-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F6xJxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F63J11</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F63J90</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F64J11</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F64J90</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F65J10</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F65J11</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F65J15</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F65J50</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F65J90</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F65J94</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F66J10</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F66J11</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F66J15</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F66J16</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F66J50</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F66J55</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F66J60</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F66J65</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F66J90</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F66J93</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F66J94</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F67J10</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F67J11</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F67J50</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F67J60</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F67J90</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F67J93</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F67J94</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F8xJxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F83J11</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F83J90</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F84J11</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F84J90</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F85J10</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F85J11</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F85J15</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F85J50</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F85J90</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F85J94</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F86J10</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F86J11</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>

<b>PIC18F86J15</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F86J16</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F86J50</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F86J55</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F86J60</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F86J65</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F86J72</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F86J90</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F86J93</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F86J94</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F87J10</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F87J11</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F87J50</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F87J60</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F87J72</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F87J90</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F87J93</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F87J94</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F9xJxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F95J94</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F96J60</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F96J65</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F96J94</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F97J60</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC18F97J94</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>PIC18FxxKxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F13K22</b>	<b>YES, 2.7-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F13K50</b>	<b>YES, 2.7-3.3V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC18F14K22</b>	<b>YES, 2.7-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F14K50</b>	<b>YES, 2.7-3.3V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC18F23K20</b>	<b>YES, 1.8-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC18F23K22</b>	<b>YES, 1.8-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F24K20</b>	<b>YES, 1.8-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC18F24K22</b>	<b>YES, 1.8-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F24K40</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F24K42</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F24K50</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F25K20</b>	<b>YES, 2.3-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC18F25K22</b>	<b>YES, 1.8-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F25K40</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F25K42</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F25K50</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F25K80</b>	<b>YES, 2.1-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F25K83</b>	<b>YES, 2.3-3.6V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F26K20</b>	<b>YES, 1.8-3.6V</b>	<b>YES, <math>3V^3)</math></b>
<b>PIC18F26K22</b>	<b>YES, 1.8-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F26K40</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F26K42</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F26K80</b>	<b>YES, 2.1-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F26K83</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F27K40</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC18F27K42</b>	<b>YES, 2.3-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>

<b>PIC18F43K20</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18F43K22</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F44K20</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18F44K22</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F45K20</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18F45K22</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F45K40</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F45K42</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F45K50</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F45K80</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F46K20</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18F46K22</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F46K40</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F46K42</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F46K80</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F47K40</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F47K42</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F55K42</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F56K42</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F57K42</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F65K22</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F65K40</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F65K80</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F65K90</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F66K22</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F66K40</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F66K80</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F66K90</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F67K22</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F67K40</b>	<b>YES, 2.3-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F67K90</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F85K22</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F85K90</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F86K22</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F86K90</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F87K22</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F87K90</b>	<b>YES, 2.1-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18LF13K22</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF13K50</b>	<b>YES, 2.7-3.3V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF14K22</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF14K50</b>	<b>YES, 2.7-3.3V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF23K22</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF24K22</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF24K40</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF24K42</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF24K50</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF25K22</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF25K40</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF25K42</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF25K50</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF25K80</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>

<b>PIC18LF25K83</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF26K22</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF26K40</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF26K42</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF26K80</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF26K83</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF27K40</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF27K42</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF43K22</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF44K22</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF45K22</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF45K40</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF45K42</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF45K50</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF45K80</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF46K22</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF46K40</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF46K42</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF46K80</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF47K40</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF47K42</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF55K42</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF56K42</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF57K42</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF65K40</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF65K80</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF66K40</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF66K80</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18LF67K40</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC18FxxQxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC18F04Q40</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F04Q41</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F05Q40</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F05Q41</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F06Q40</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F06Q41</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F14Q40</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F14Q41</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F15Q40</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F15Q41</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F16Q40</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F16Q41</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F24Q10</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F25Q10</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F25Q43</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F26Q10</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F26Q43</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F26Q83</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F26Q84</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F27Q10</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F27Q43</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>

<b>PIC18F27Q83</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F27Q84</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F45Q10</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F45Q43</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F46Q10</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F46Q43</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F46Q83</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F46Q84</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F47Q10</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F47Q43</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F47Q83</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F47Q84</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F55Q43</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F56Q43</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F56Q83</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F56Q84</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F57Q43</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F57Q83</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC18F57Q84</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V<sup>3)</sup></b>
<b>PIC12Cxxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC12C508</b>	-	<b>YES</b>
<b>PIC12C508A</b>	-	<b>YES</b>
<b>PIC12C509</b>	-	<b>YES</b>
<b>PIC12C509A</b>	-	<b>YES</b>
<b>PIC12C671</b>	-	<b>YES</b>
<b>PIC12C672</b>	-	<b>YES</b>
<b>PIC12CE518</b>	-	<b>YES</b>
<b>PIC12CE519</b>	-	<b>YES</b>
<b>PIC12CE673</b>	-	<b>YES</b>
<b>PIC12CE674</b>	-	<b>YES</b>
<b>rfPIC12xxxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>rfPIC12C509Ax</b>	-	<b>YES</b>
<b>rfPIC12F675x</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>PIC16C43x</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16C432</b>	-	<b>YES</b>
<b>PIC16C5xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16C505</b>	-	<b>YES</b>
<b>PIC16C6xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC16C61</b>	-	<b>YES</b>
<b>PIC16C62</b>	-	<b>YES</b>
<b>PIC16C620</b>	-	<b>YES</b>
<b>PIC16C620A</b>	-	<b>YES</b>
<b>PIC16C621</b>	-	<b>YES</b>
<b>PIC16C621A</b>	-	<b>YES</b>
<b>PIC16C622</b>	-	<b>YES</b>
<b>PIC16C622A</b>	-	<b>YES</b>
<b>PIC16C62A</b>	-	<b>YES</b>
<b>PIC16C62B</b>	-	<b>YES</b>
<b>PIC16C63</b>	-	<b>YES</b>
<b>PIC16C63A</b>	-	<b>YES</b>
<b>PIC16C64</b>	-	<b>YES</b>
<b>PIC16C64A</b>	-	<b>YES</b>

<b>PIC16C65</b>	-	<b>YES</b>
<b>PIC16C65A</b>	-	<b>YES</b>
<b>PIC16C65B</b>	-	<b>YES</b>
<b>PIC16C66</b>	-	<b>YES</b>
<b>PIC16C67</b>	-	<b>YES</b>
<b>PIC16CE623</b>	-	<b>YES</b>
<b>PIC16CE624</b>	-	<b>YES</b>
<b>PIC16CE625</b>	-	<b>YES</b>
<b>PIC16C7xx</b>	FORTE	PRESTO
<b>PIC16C71</b>	-	<b>YES</b>
<b>PIC16C710</b>	-	<b>YES</b>
<b>PIC16C711</b>	-	<b>YES</b>
<b>PIC16C712</b>	-	<b>YES</b>
<b>PIC16C716</b>	-	<b>YES</b>
<b>PIC16C717</b>	-	<b>YES</b>
<b>PIC16C72</b>	-	<b>YES</b>
<b>PIC16C72A</b>	-	<b>YES</b>
<b>PIC16C73</b>	-	<b>YES</b>
<b>PIC16C73A</b>	-	<b>YES</b>
<b>PIC16C73B</b>	-	<b>YES</b>
<b>PIC16C745</b>	-	<b>YES</b>
<b>PIC16C74A</b>	-	<b>YES</b>
<b>PIC16C74B</b>	-	<b>YES</b>
<b>PIC16C76</b>	-	<b>YES</b>
<b>PIC16C765</b>	-	<b>YES</b>
<b>PIC16C77</b>	-	<b>YES</b>
<b>PIC16C770</b>	-	<b>YES</b>
<b>PIC16C771</b>	-	<b>YES</b>
<b>PIC16C773</b>	-	<b>YES</b>
<b>PIC16C774</b>	-	<b>YES</b>
<b>PIC16C781</b>	-	<b>YES</b>
<b>PIC16C782</b>	-	<b>YES</b>
<b>PIC16C9xx</b>	FORTE	PRESTO
<b>PIC16C923</b>	-	<b>YES</b>
<b>PIC16C924</b>	-	<b>YES</b>
<b>PIC16C925</b>	-	<b>YES</b>
<b>PIC16C926</b>	-	<b>YES</b>
<b>PIC24</b>	FORTE	PRESTO
<b>PIC24EP128GP202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP128GP204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP128GP206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP128MC202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP128MC204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP128MC206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP256GP202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP256GP204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP256GP206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP256GU810</b>	<b>YES, 3.0-3.6V</b>	-
<b>PIC24EP256GU814</b>	<b>YES, 3.0-3.6V</b>	-
<b>PIC24EP256MC202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP256MC204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP256MC206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP32GP202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP32GP203</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>

<b>PIC24EP32GP204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP32MC202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP32MC203</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP32MC204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP512GP202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP512GP204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP512GP206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP512GP806</b>	<b>YES, 3.0-3.6V</b>	<b>-</b>
<b>PIC24EP512GU810</b>	<b>YES, 3.0-3.6V</b>	<b>-</b>
<b>PIC24EP512GU814</b>	<b>YES, 3.0-3.6V</b>	<b>-</b>
<b>PIC24EP512MC202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP512MC204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP512MC206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP64GP202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP64GP203</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP64GP204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP64GP206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP64MC202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP64MC203</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP64MC204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24EP64MC206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24F04KA200</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F04KA201</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F04KL100</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F04KL101</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KA101</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KA102</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KL200</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KL201</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KL301</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KL302</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KL401</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KL402</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KM101</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KM102</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KM202</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F08KM204</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F16KA101</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F16KA102</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F16KA301</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F16KA302</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F16KA304</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F16KL401</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F16KL402</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F16KM102</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F16KM104</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F16KM202</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F16KM204</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F32KA301</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F32KA302</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24F32KA304</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V<sup>3)</sup></b>
<b>PIC24FJ1024GA606</b>	<b>YES, 2.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>

<b>PIC24FJ1024GA610</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ1024GB606</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ1024GB610</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128DA106</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128DA110</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128DA206</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128DA210</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GA006</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GA008</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GA010</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GA106</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GA108</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GA110</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GA202</b>	YES, 2.2-3.6V	YES, 3V
<b>PIC24FJ128GA204</b>	YES, 2.2-3.6V	YES, 3V
<b>PIC24FJ128GA306</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GA308</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GA310</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GA406</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GA410</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GA412</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GA606</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GA610</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GA702</b>	YES, 2.0-3.6V	YES, 3V
<b>PIC24FJ128GA704</b>	YES, 2.0-3.6V	YES, 3V
<b>PIC24FJ128GA705</b>	YES, 2.0-3.6V	YES, 3V
<b>PIC24FJ128GB106</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GB108</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GB110</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GB202</b>	YES, 2.2-3.6V	YES, 3V
<b>PIC24FJ128GB204</b>	YES, 2.2-3.6V	YES, 3V
<b>PIC24FJ128GB206</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GB210</b>	YES, 2.6-3.6V	YES, 3V
<b>PIC24FJ128GB406</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GB410</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GB412</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GB606</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GB610</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GC006</b>	YES, 2.2-3.6V	YES, 3V
<b>PIC24FJ128GC010</b>	YES, 2.2-3.6V	YES, 3V
<b>PIC24FJ128GL302</b>	YES, 2.0-3.6V	YES, 3V
<b>PIC24FJ128GL303</b>	YES, 2.0-3.6V	YES, 3V
<b>PIC24FJ128GL305</b>	YES, 2.0-3.6V	YES, 3V
<b>PIC24FJ128GL306</b>	YES, 2.0-3.6V	YES, 3V
<b>PIC24FJ128GL405</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GL406</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GL408</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GL410</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GU405</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GU406</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GU408</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ128GU410</b>	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
<b>PIC24FJ16GA002</b>	YES, 2.6-3.6V	YES, 3V

<b>PIC24FJ16GA004</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ16MC101</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ16MC102</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ192GA106</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ192GA108</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ192GA110</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ192GB106</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ192GB108</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ192GB110</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256DA106</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256DA110</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256DA206</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256DA210</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GA106</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GA108</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GA110</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GA406</b>	<b>YES, 2.0-3.6V <sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>PIC24FJ256GA410</b>	<b>YES, 2.0-3.6V <sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>PIC24FJ256GA412</b>	<b>YES, 2.0-3.6V <sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>PIC24FJ256GA606</b>	<b>YES, 2.0-3.6V <sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>PIC24FJ256GA610</b>	<b>YES, 2.0-3.6V <sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>PIC24FJ256GA702</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GA704</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GA705</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GB106</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GB108</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GB110</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GB206</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GB210</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GB406</b>	<b>YES, 2.0-3.6V <sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>PIC24FJ256GB410</b>	<b>YES, 2.0-3.6V <sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>PIC24FJ256GB412</b>	<b>YES, 2.0-3.6V <sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>PIC24FJ256GB606</b>	<b>YES, 2.0-3.6V <sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>PIC24FJ256GB610</b>	<b>YES, 2.0-3.6V <sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>PIC24FJ256GL405</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GL406</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GL408</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GL410</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GU405</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GU406</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GU408</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ256GU410</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ32GA002</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ32GA004</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ32GA102</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ32GA104</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ32GB002</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ32GB004</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ32MC101</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ32MC102</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ32MC104</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ48GA002</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ48GA004</b>	<b>YES, 2.6-3.6V</b>	<b>YES, 3V</b>
<b>PIC24FJ512GA606</b>		

PIC24FJ512GA610	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
PIC24FJ512GB606	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
PIC24FJ512GB610	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
PIC24FJ512GL405	YES, 2.0-3.6V	YES, 3V
PIC24FJ512GL406	YES, 2.0-3.6V	YES, 3V
PIC24FJ512GL408	YES, 2.0-3.6V	YES, 3V
PIC24FJ512GL410	YES, 2.0-3.6V	YES, 3V
PIC24FJ512GU405	YES, 2.0-3.6V	YES, 3V
PIC24FJ512GU406	YES, 2.0-3.6V	YES, 3V
PIC24FJ512GU408	YES, 2.0-3.6V	YES, 3V
PIC24FJ512GU410	YES, 2.0-3.6V	YES, 3V
PIC24FJ64GA002	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA004	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA006	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA008	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA010	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA102	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA104	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA106	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA108	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA110	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA202	YES, 2.2-3.6V	YES, 3V
PIC24FJ64GA204	YES, 2.2-3.6V	YES, 3V
PIC24FJ64GA306	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA308	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA310	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GA406	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
PIC24FJ64GA410	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
PIC24FJ64GA412	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
PIC24FJ64GA702	YES, 2.0-3.6V	YES, 3V
PIC24FJ64GA704	YES, 2.0-3.6V	YES, 3V
PIC24FJ64GA705	YES, 2.0-3.6V	YES, 3V
PIC24FJ64GB002	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GB004	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GB106	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GB108	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GB110	YES, 2.6-3.6V	YES, 3V
PIC24FJ64GB202	YES, 2.2-3.6V	YES, 3V
PIC24FJ64GB204	YES, 2.2-3.6V	YES, 3V
PIC24FJ64GB406	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
PIC24FJ64GB410	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
PIC24FJ64GB412	YES, 2.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
PIC24FJ64GC006	YES, 2.2-3.6V	YES, 3V
PIC24FJ64GC010	YES, 2.2-3.6V	YES, 3V
PIC24FJ64GL302	YES, 2.0-3.6V	YES, 3V
PIC24FJ64GL303	YES, 2.0-3.6V	YES, 3V
PIC24FJ64GL305	YES, 2.0-3.6V	YES, 3V
PIC24FJ64GL306	YES, 2.0-3.6V	YES, 3V
PIC24FJ96GA006	YES, 2.6-3.6V	YES, 3V
PIC24FJ96GA008	YES, 2.6-3.6V	YES, 3V
PIC24FJ96GA010	YES, 2.6-3.6V	YES, 3V
PIC24FV08KM101	YES, 2.0-5.5V	YES, ≤5V <sup>3)</sup>

<b>PIC24FV08KM102</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV08KM202</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV08KM204</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV16KA301</b>	<b>YES, 2.6-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV16KA302</b>	<b>YES, 2.6-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV16KA304</b>	<b>YES, 2.6-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV16KM102</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV16KM104</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV16KM202</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV16KM204</b>	<b>YES, 2.0-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV32KA301</b>	<b>YES, 2.6-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV32KA302</b>	<b>YES, 2.6-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24FV32KA304</b>	<b>YES, 2.6-5.5V</b>	<b>YES, <math>\leq 5V^3)</math></b>
<b>PIC24HJ128GP202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP206A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP210</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP210A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP306</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP306A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP310</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP310A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP502</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP504</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP506</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP506A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP510</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ128GP510A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ12GP201</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ12GP202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ16GP304</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ256GP206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ256GP206A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ256GP210</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ256GP210A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ256GP610</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ256GP610A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ32GP202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ32GP204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ32GP302</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ32GP304</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ64GP202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ64GP204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ64GP206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ64GP206A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ64GP210</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ64GP210A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ64GP502</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ64GP504</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ64GP506</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ64GP506A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC24HJ64GP510</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>

<b>PIC24HJ64GP510A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MK</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC32MK0512GPD064</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK0512GPD100</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK0512GPE064</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK0512GPE100</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK0512GPK064</b>	<b>YES, 2.3-3.6V</b>	<b>-</b>
<b>PIC32MK0512GPK100</b>	<b>YES, 2.3-3.6V</b>	<b>-</b>
<b>PIC32MK0512MCF064</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK0512MCF100</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK0512MCM064</b>	<b>YES, 2.3-3.6V</b>	<b>-</b>
<b>PIC32MK0512MCM100</b>	<b>YES, 2.3-3.6V</b>	<b>-</b>
<b>PIC32MK1024GPD064</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK1024GPD100</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK1024GPE064</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK1024GPE100</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK1024GPK064</b>	<b>YES, 2.3-3.6V</b>	<b>-</b>
<b>PIC32MK1024GPK100</b>	<b>YES, 2.3-3.6V</b>	<b>-</b>
<b>PIC32MK1024MCF064</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK1024MCF100</b>	<b>YES, 2.2-3.6V</b>	<b>-</b>
<b>PIC32MK1024MCM064</b>	<b>YES, 2.3-3.6V</b>	<b>-</b>
<b>PIC32MK1024MCM100</b>	<b>YES, 2.3-3.6V</b>	<b>-</b>
<b>PIC32MM</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC32MM0016GPL020</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0016GPL028</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0016GPL036</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0032GPL020</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0032GPL028</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0032GPL036</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0064GPL020</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0064GPL028</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0064GPL036</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0064GPM028</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0064GPM036</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0064GPM048</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0064GPM064</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0128GPM028</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0128GPM036</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0128GPM048</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0128GPM064</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0256GPM028</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0256GPM036</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0256GPM048</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MM0256GPM064</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC32MX110F016B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX110F016C</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX110F016D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX120F032B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX120F032C</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX120F032D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX120F064H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX130F064B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX130F064C</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>

<b>PIC32MX130F064D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX130F128H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX130F128L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX130F256B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX130F256D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX150F128B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX150F128C</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX150F128D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX150F256H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX150F256L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX170F256B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX170F256D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX170F512H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX170F512L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX210F016B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX210F016C</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX210F016D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX220F032B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX220F032C</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX220F032D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX230F064B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX230F064C</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX230F064D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX230F128H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX230F128L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX230F256B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX230F256D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX250F128B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX250F128C</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX250F128D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX250F256H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX250F256L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX270F256B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX270F256D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX270F512H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX270F512L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX320F032H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX320F064H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX320F128H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX320F128L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX330F064H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX330F064L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX340F128H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX340F128L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX340F256H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX340F512H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX350F128H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX350F128L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX350F256H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX350F256L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX360F256L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX360F512L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX370F512H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX370F512L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>

<b>PIC32MX420F032H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX430F064H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX430F064L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX440F128H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX440F128L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX440F256H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX440F512H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX450F128H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX450F128L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX450F256H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX450F256L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX460F256L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX460F512L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX470F512H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX470F512L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX530F128H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX530F128L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX534F064H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX534F064L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX550F256H</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX550F256L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX564F064H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX564F064L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX564F128H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX564F128L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX570F512L</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX575F256H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX575F256L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX575F512H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX575F512L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX664F064H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX664F064L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX664F128H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX664F128L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX675F256H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX675F256L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX675F512H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX675F512L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX695F512H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX695F512L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX764F128H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX764F128L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX775F256H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX775F256L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX775F512H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX775F512L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX795F512H</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MX795F512L</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>PIC32MZ0512EFE064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ0512EFE100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ0512EFE124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ0512EFE144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ0512EFF064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>

<b>PIC32MZ0512EFF100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ0512EFF124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ0512EFF144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ0512EFK064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ0512EFK100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ0512EFK124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ0512EFK144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECG064</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECG100</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECG124</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECG144</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECM064</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECM100</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECM124</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECM144</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFE064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFE100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFE124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFE144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFF064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFF100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFF124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFF144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFG064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFG100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFG124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFG144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFH064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFH100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFH124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFH144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFK064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFK100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFK124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFK144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFM064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFM100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFM124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024EFM144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECH064</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECH100</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECH124</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ1024ECH144</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECG064</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECG100</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECG124</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECG144</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECM064</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECM100</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECM124</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECM144</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048EFG064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048EFG100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048EFG124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>

<b>PIC32MZ2048EFG144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048EFH064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048EFH100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048EFH124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048EFH144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048EFM064</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048EFM100</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048EFM124</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048EFM144</b>	<b>YES, 2.1-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECH064</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECH100</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECH124</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>PIC32MZ2048ECH144</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC30F</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>dsPIC30F1010</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F2010</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F2011</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F2012</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F2020</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F2023</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F3010</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F3011</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F3012</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F3013</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F3014</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F4011</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F4012</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F4013</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F5011</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F5013</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F5015</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F5016</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F6010</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F6010A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F6011</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F6011A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F6012</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F6012A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F6013</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F6013A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F6014</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F6014A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC30F6015</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>dsPIC33</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>dsPIC33CK128MP202</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CK128MP203</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CK128MP205</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CK128MP206</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CK128MP208</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CK128MP502</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CK128MP503</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CK128MP505</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CK128MP506</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>

dsPIC33CK128MP508	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK256MP202	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK256MP203	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK256MP205	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK256MP206	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK256MP208	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK256MP502	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK256MP503	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK256MP505	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK256MP506	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK256MP508	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK32MC102	YES, 3.0-3.6V	YES, 3V
dsPIC33CK32MC103	YES, 3.0-3.6V	YES, 3V
dsPIC33CK32MC105	YES, 3.0-3.6V	YES, 3V
dsPIC33CK32MP102	YES, 3.0-3.6V	YES, 3V
dsPIC33CK32MP103	YES, 3.0-3.6V	YES, 3V
dsPIC33CK32MP105	YES, 3.0-3.6V	YES, 3V
dsPIC33CK32MP202	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK32MP203	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK32MP205	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK32MP206	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK32MP502	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK32MP503	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK32MP505	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK32MP506	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK64MC102	YES, 3.0-3.6V	YES, 3V
dsPIC33CK64MC103	YES, 3.0-3.6V	YES, 3V
dsPIC33CK64MC105	YES, 3.0-3.6V	YES, 3V
dsPIC33CK64MP102	YES, 3.0-3.6V	YES, 3V
dsPIC33CK64MP103	YES, 3.0-3.6V	YES, 3V
dsPIC33CK64MP105	YES, 3.0-3.6V	YES, 3V
dsPIC33CK64MP202	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK64MP203	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK64MP205	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK64MP206	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK64MP208	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK64MP502	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK64MP503	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK64MP505	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK64MP506	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33CK64MP508	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP128GM304	YES, 3.0-3.6V	-
dsPIC33EP128GM306	YES, 3.0-3.6V	-
dsPIC33EP128GM310	YES, 3.0-3.6V	-
dsPIC33EP128GM604	YES, 3.0-3.6V	-
dsPIC33EP128GM706	YES, 3.0-3.6V	-
dsPIC33EP128GM710	YES, 3.0-3.6V	-
dsPIC33EP128GP502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP128GP504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP128GP506	YES, 3.0-3.6V	YES, 3V
dsPIC33EP128GS702	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP128GS704	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>

dsPIC33EP128GS705	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP128GS706	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP128GS708	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP128GS804	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP128GS805	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP128GS806	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP128GS808	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP128MC202	YES, 3.0-3.6V	YES, 3V
dsPIC33EP128MC204	YES, 3.0-3.6V	YES, 3V
dsPIC33EP128MC206	YES, 3.0-3.6V	YES, 3V
dsPIC33EP128MC502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP128MC504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP128MC506	YES, 3.0-3.6V	YES, 3V
dsPIC33EP16GS202	YES, 3.0-3.6V	YES, 3V
dsPIC33EP16GS502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP16GS504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP16GS505	YES, 3.0-3.6V	YES, 3V
dsPIC33EP16GS506	YES, 3.0-3.6V	YES, 3V
dsPIC33EP256GM304	YES, 3.0-3.6V	-
dsPIC33EP256GM306	YES, 3.0-3.6V	-
dsPIC33EP256GM310	YES, 3.0-3.6V	-
dsPIC33EP256GM604	YES, 3.0-3.6V	-
dsPIC33EP256GM706	YES, 3.0-3.6V	-
dsPIC33EP256GM710	YES, 3.0-3.6V	-
dsPIC33EP256GP502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP256GP504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP256GP506	YES, 3.0-3.6V	YES, 3V
dsPIC33EP256MC202	YES, 3.0-3.6V	YES, 3V
dsPIC33EP256MC204	YES, 3.0-3.6V	YES, 3V
dsPIC33EP256MC206	YES, 3.0-3.6V	YES, 3V
dsPIC33EP256MC502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP256MC504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP256MC506	YES, 3.0-3.6V	YES, 3V
dsPIC33EP256MU806	YES, 3.0-3.6V	-
dsPIC33EP256MU810	YES, 3.0-3.6V	-
dsPIC33EP256MU814	YES, 3.0-3.6V	-
dsPIC33EP32GP502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32GP503	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32GP504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32GS202	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32GS502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32GS504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32GS505	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32GS506	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32MC202	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32MC203	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32MC204	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32MC502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32MC503	YES, 3.0-3.6V	YES, 3V
dsPIC33EP32MC504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP512GM304	YES, 3.0-3.6V	-
dsPIC33EP512GM306	YES, 3.0-3.6V	-
dsPIC33EP512GM310	YES, 3.0-3.6V	-
dsPIC33EP512GM604	YES, 3.0-3.6V	-

dsPIC33EP512GM706	YES, 3.0-3.6V	-
dsPIC33EP512GM710	YES, 3.0-3.6V	-
dsPIC33EP512GP502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP512GP504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP512GP506	YES, 3.0-3.6V	YES, 3V
dsPIC33EP512GP806	YES, 3.0-3.6V	-
dsPIC33EP512MC202	YES, 3.0-3.6V	YES, 3V
dsPIC33EP512MC204	YES, 3.0-3.6V	YES, 3V
dsPIC33EP512MC206	YES, 3.0-3.6V	YES, 3V
dsPIC33EP512MC502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP512MC504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP512MC506	YES, 3.0-3.6V	YES, 3V
dsPIC33EP512MC806	YES, 3.0-3.6V	-
dsPIC33EP512MU810	YES, 3.0-3.6V	-
dsPIC33EP512MU814	YES, 3.0-3.6V	-
dsPIC33EP64GP502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP64GP503	YES, 3.0-3.6V	YES, 3V
dsPIC33EP64GP504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP64GP506	YES, 3.0-3.6V	YES, 3V
dsPIC33EP64GS502	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP64GS504	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP64GS505	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP64GS506	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP64GS708	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP64GS804	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP64GS805	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP64GS806	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP64GS808	YES, 3.0-3.6V <sup>4)</sup>	YES, 3V <sup>4)</sup>
dsPIC33EP64MC202	YES, 3.0-3.6V	YES, 3V
dsPIC33EP64MC203	YES, 3.0-3.6V	YES, 3V
dsPIC33EP64MC204	YES, 3.0-3.6V	YES, 3V
dsPIC33EP64MC206	YES, 3.0-3.6V	YES, 3V
dsPIC33EP64MC502	YES, 3.0-3.6V	YES, 3V
dsPIC33EP64MC503	YES, 3.0-3.6V	YES, 3V
dsPIC33EP64MC504	YES, 3.0-3.6V	YES, 3V
dsPIC33EP64MC506	YES, 3.0-3.6V	YES, 3V
dsPIC33EV128GM002	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV128GM003	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV128GM004	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV128GM006	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV128GM102	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV128GM103	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV128GM104	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV128GM106	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV256GM002	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV256GM003	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV256GM004	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV256GM006	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV256GM102	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV256GM103	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV256GM104	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV256GM106	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV32GM002	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV32GM003	YES, 4.7-5.5V	YES, ≤5V

dsPIC33EV32GM004	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV32GM006	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV32GM102	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV32GM103	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV32GM104	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV32GM106	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV64GM002	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV64GM003	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV64GM004	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV64GM006	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV64GM102	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV64GM103	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV64GM104	YES, 4.7-5.5V	YES, ≤5V
dsPIC33EV64GM106	YES, 4.7-5.5V	YES, ≤5V
dsPIC33FJ06GS001	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ06GS101	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ06GS101A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ06GS102	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ06GS102A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ06GS202	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ06GS202A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ09GS302	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP202	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP204	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP206	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP206A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP306	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP306A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP310	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP310A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP706	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP706A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP708	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP708A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP710	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP710A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP802	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128GP804	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC202	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC204	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC506	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC506A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC510	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC510A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC706	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC706A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC708	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC708A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC710	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC710A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC802	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ128MC804	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ12GP201	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ12GP202	YES, 3.0-3.6V	YES, 3V

dsPIC33FJ12MC201	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ12MC202	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ16GP101	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ16GP102	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ16GP304	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ16GS402	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ16GS404	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ16GS502	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ16GS504	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ16MC101	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ16MC102	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ16MC304	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ256GP506	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ256GP506A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ256GP510	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ256GP510A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ256GP710	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ256GP710A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ256MC510	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ256MC510A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ256MC710	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ256MC710A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32GP101	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32GP102	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32GP104	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32GP202	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32GP204	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32GP302	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32GP304	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32GS406	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32GS606	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32GS608	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32GS610	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32MC101	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32MC102	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32MC104	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32MC202	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32MC204	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32MC302	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ32MC304	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP202	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP204	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP206	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP206A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP306	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP306A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP310	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP310A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP706	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP706A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP708	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP708A	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP710	YES, 3.0-3.6V	YES, 3V
dsPIC33FJ64GP710A	YES, 3.0-3.6V	YES, 3V

<b>dsPIC33FJ64GP802</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64GP804</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64GS406</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64GS606</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64GS608</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64GS610</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC204</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC506</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC506A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC508</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC508A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC510</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC510A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC706</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC706A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC710</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC710A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC802</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33FJ64MC804</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH128MP202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH128MP203</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH128MP205</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH128MP206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH128MP208</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH128MP502</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH128MP503</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH128MP505</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH128MP506</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH128MP508</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH256MP205</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH256MP206</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH256MP208</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH256MP505</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH256MP506</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH256MP508</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH512MP205</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH512MP206</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH512MP208</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH512MP505</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH512MP506</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH512MP508</b>	<b>YES, 3.0-3.6V<sup>4)</sup></b>	<b>YES, 3V<sup>4)</sup></b>
<b>dsPIC33CH64MP202</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH64MP203</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH64MP205</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH64MP206</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH64MP208</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH64MP502</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH64MP503</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH64MP505</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH64MP506</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>dsPIC33CH64MP508</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>

**AVR****FORTE****PRESTO**

<b>AT86RF401</b>	<b>YES, 2.0-5.0V</b>	<b>YES, ≤5V</b>
<b>AT90CAN128</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90CAN32</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90CAN64</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90PWM1</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90PWM161</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90PWM2</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90PWM216</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90PWM2B</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90PWM3</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90PWM316</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90PWM3B</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90PWM81</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90S1200</b>	<b>YES, 2.7-5.5V</b>	<b>YES</b>
<b>AT90S2313</b>	<b>YES, 2.7-5.5V</b>	<b>YES</b>
<b>AT90S2323</b>	<b>YES, 2.7-5.5V</b>	<b>YES</b>
<b>AT90S2343</b>	<b>YES, 2.7-5.5V</b>	<b>YES</b>
<b>AT90S4414</b>	<b>YES, 2.7-5.5V</b>	<b>YES</b>
<b>AT90S8515</b>	<b>YES, 2.7-5.5V</b>	<b>YES</b>
<b>AT90S8535</b>	<b>YES, 2.7-5.5V</b>	<b>YES</b>
<b>AT90USB1286</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90USB1287</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90USB162</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90USB646</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90USB647</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT90USB82</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega103</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega128</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega1280</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega1281</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega1284</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega1284P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega128A</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega16</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega161</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega162</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega163</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega164A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega164P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega164PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega165</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega165A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega165PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega168</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega168A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega168P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega168PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega168PB</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega169</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega169A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega169PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega16A</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega16M1</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega16U2</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>

<b>ATmega16U4</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega2560</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega2561</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega256RFR2</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATmega32</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega324A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega324P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega324PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega324PB</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega325</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega3250</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega3250A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega3250P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega3250PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega325A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega325P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega325PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega328</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega328P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega328PB</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega329</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega3290</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega3290A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega3290P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega3290PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega329A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega329P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega329PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega32A</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega32C1</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega32M1</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega32U2</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega32U4</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega48</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega48A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega48P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega48PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega48PB</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega64</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega640</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega644</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega644A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega644P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega644PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega645</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega6450</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega6450A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega6450P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega645A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega645P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega649</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega6490</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega6490A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega6490P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>

<b>ATmega649A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega649P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega64A</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega64C1</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega64M1</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega8</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega8515</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega8535</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega88</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega88A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega88P</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega88PA</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega88PB</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega8A</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATmega8U2</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny12</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny13</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny15</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny1634</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny167</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny2313</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny2313A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny24</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny24A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny25</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny26</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny261</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny261A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny4313</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny44</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny441</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny44A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny45</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny461</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny461A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny48</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny828</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny84</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny841</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny84A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny85</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny861</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny861A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny87</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny88</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>AVR TPI</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>ATTiny10</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>ATTiny102</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny104</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ATTiny20</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>ATTiny4</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>ATTiny40</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>ATTiny5</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>ATTiny9</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>

AVR UPDI	FORTE	PRESTO
ATmega1608	YES, 3.0-5.5V	-
ATmega1609	YES, 3.0-5.5V	-
ATmega3208	YES, 3.0-5.5V	-
ATmega3209	YES, 3.0-5.5V	-
ATmega4808	YES, 3.0-5.5V	-
ATmega4809	YES, 3.0-5.5V	-
ATmega808	YES, 3.0-5.5V	-
ATmega809	YES, 3.0-5.5V	-
ATTiny1604	YES, 1.8-5.5V	-
ATTiny1606	YES, 1.8-5.5V	-
ATTiny1607	YES, 1.8-5.5V	-
ATTiny1614	YES, 1.8-5.5V	-
ATTiny1616	YES, 1.8-5.5V	-
ATTiny1617	YES, 1.8-5.5V	-
ATTiny1624	YES, 1.8-5.5V	-
ATTiny1626	YES, 1.8-5.5V	-
ATTiny1627	YES, 1.8-5.5V	-
ATTiny202	YES, 1.8-5.5V	-
ATTiny204	YES, 1.8-5.5V	-
ATTiny212	YES, 1.8-5.5V	-
ATTiny214	YES, 1.8-5.5V	-
ATTiny3216	YES, 1.8-5.5V	-
ATTiny3217	YES, 1.8-5.5V	-
ATTiny3224	YES, 1.8-5.5V	-
ATTiny3226	YES, 1.8-5.5V	-
ATTiny3227	YES, 1.8-5.5V	-
ATTiny402	YES, 1.8-5.5V	-
ATTiny404	YES, 1.8-5.5V	-
ATTiny406	YES, 1.8-5.5V	-
ATTiny412	YES, 1.8-5.5V	-
ATTiny414	YES, 1.8-5.5V	-
ATTiny416	YES, 1.8-5.5V	-
ATTiny417	YES, 1.8-5.5V	-
ATTiny424	YES, 1.8-5.5V	-
ATTiny426	YES, 1.8-5.5V	-
ATTiny427	YES, 1.8-5.5V	-
ATTiny804	YES, 1.8-5.5V	-
ATTiny806	YES, 1.8-5.5V	-
ATTiny807	YES, 1.8-5.5V	-
ATTiny814	YES, 1.8-5.5V	-
ATTiny816	YES, 1.8-5.5V	-
ATTiny817	YES, 1.8-5.5V	-
ATTiny824	YES, 1.8-5.5V	-
ATTiny826	YES, 1.8-5.5V	-
ATTiny827	YES, 1.8-5.5V	-
AVR128DA28	YES, 1.8-5.5V	-
AVR128DA32	YES, 1.8-5.5V	-
AVR128DA48	YES, 1.8-5.5V	-
AVR128DA64	YES, 1.8-5.5V	-
AVR128DB28	YES, 1.8-5.5V	-
AVR128DB32	YES, 1.8-5.5V	-
AVR128DB48	YES, 1.8-5.5V	-
AVR128DB64	YES, 1.8-5.5V	-

<b>AVR32DA28</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR32DA32</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR32DA48</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR32DB28</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR32DB32</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR32DB48</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR64DA28</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR64DA32</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR64DA48</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR64DA64</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR64DB28</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR64DB32</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR64DB48</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR64DB64</b>	<b>YES, 1.8-5.5V</b>	-
<b>AVR ATxmega</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>ATxmega128A1</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega128A1U</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega128A3</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega128A3U</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega128A4</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega128B1</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega128B3</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega128D3</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega128D4</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega16A4</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega16A4U</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega16D4</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega16E5</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega192A3U</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega192C3</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega192D3</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega256A3</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega256A3BU</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega256A3U</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega256C3</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega256D3</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega32A4</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega32A4U</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega32D4</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega32E5</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega384C3</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega384D3</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega64A1</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega64A1U</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega64A3</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega64A3U</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>ATxmega64A4</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega64C3</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega64D3</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega64D4</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATxmega8E5</b>	<b>YES, 1.8-3.6V</b>	-
<b>AVR32</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>AT32UC3A0128</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>AT32UC3A0256</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>

AT32UC3A0512	YES, 3.0-3.6V	YES, 3V
AT32UC3A1128	YES, 3.0-3.6V	YES, 3V
AT32UC3A1256	YES, 3.0-3.6V	YES, 3V
AT32UC3A1512	YES, 3.0-3.6V	YES, 3V
AT32UC3A3128	YES, 3.0-3.6V	YES, 3V
AT32UC3A3128S	YES, 3.0-3.6V	YES, 3V
AT32UC3A3256	YES, 3.0-3.6V	YES, 3V
AT32UC3A3256S	YES, 3.0-3.6V	YES, 3V
AT32UC3A364	YES, 3.0-3.6V	YES, 3V
AT32UC3A364S	YES, 3.0-3.6V	YES, 3V
AT32UC3B0128	YES, 3.0-3.6V	YES, 3V
AT32UC3B0256	YES, 3.0-3.6V	YES, 3V
AT32UC3B0512	YES, 3.0-3.6V	YES, 3V
AT32UC3B064	YES, 3.0-3.6V	YES, 3V
AT32UC3B1128	YES, 3.0-3.6V	YES, 3V
AT32UC3B1256	YES, 3.0-3.6V	YES, 3V
AT32UC3B1512	YES, 3.0-3.6V	YES, 3V
AT32UC3B164	YES, 3.0-3.6V	YES, 3V
AT32UC3C0128C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3C0256C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3C0512C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3C064C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3C1128C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3C1256C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3C1512C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3C164C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3C2128C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3C2256C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3C2512C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3C264C	YES, 3.0-5.5V	YES, ≤5V
AT32UC3L016	YES, 1.8-3.6V	YES, 3V
AT32UC3L032	YES, 1.8-3.6V	YES, 3V
AT32UC3L064	YES, 1.8-3.6V	YES, 3V
<b>Atmel 8051 arch.</b>	<b>FORTE</b>	<b>PRESTO</b>
AT89C51CC01UA	YES, 3.0-5.5V	-
AT89LP2052	YES, 2.4-5.5V	YES, ≤5V
AT89LP213	YES, 2.4-5.5V	YES, ≤5V
AT89LP214	YES, 2.4-5.5V	YES, ≤5V
AT89LP216	YES, 2.4-5.5V	YES, ≤5V
AT89LP3240	YES, 2.4-3.6V	YES, 3V
AT89LP4052	YES, 2.4-5.5V	YES, ≤5V
AT89LP428	YES, 2.4-5.5V	YES, ≤5V
AT89LP51	YES, 2.4-5.5V	YES, ≤5V
AT89LP51ED2	YES, 2.4-5.5V	YES, ≤5V
AT89LP51IC2	YES, 2.4-5.5V	YES, ≤5V
AT89LP51ID2	YES, 2.4-5.5V	YES, ≤5V
AT89LP51RB2	YES, 2.4-5.5V	YES, ≤5V
AT89LP51RC2	YES, 2.4-5.5V	YES, ≤5V
AT89LP51RD2	YES, 2.4-5.5V	YES, ≤5V
AT89LP52	YES, 2.4-5.5V	YES, ≤5V
AT89LP6440	YES, 2.4-3.6V	YES, 3V
AT89LP828	YES, 2.4-5.5V	YES, ≤5V
AT89LS51	YES, 2.7-4.0V	YES, ≤5V
AT89LS52	YES, 2.7-4.0V	YES, ≤5V

<b>AT89S2051</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT89S4051</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT89S51</b>	<b>YES, 4.0-5.5V</b>	<b>YES</b>
<b>AT89S52</b>	<b>YES, 4.0-5.5V</b>	<b>YES</b>
<b>AT89S53</b>	<b>YES, 4.0-5.5V</b>	<b>YES</b>
<b>AT89S8252</b>	<b>YES, 4.0-5.5V</b>	<b>YES</b>
<b>AT89S8253</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>ARM</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>AT91SAM7S128</b>	<b>YES, 1.8-3.6V</b>	-
<b>AT91SAM7S16</b>	<b>YES, 1.8-3.6V</b>	-
<b>AT91SAM7S161</b>	<b>YES, 1.8-3.6V</b>	-
<b>AT91SAM7S256</b>	<b>YES, 1.8-3.6V</b>	-
<b>AT91SAM7S32</b>	<b>YES, 1.8-3.6V</b>	-
<b>AT91SAM7S321</b>	<b>YES, 1.8-3.6V</b>	-
<b>AT91SAM7S512</b>	<b>YES, 1.8-3.6V</b>	-
<b>AT91SAM7S64</b>	<b>YES, 1.8-3.6V</b>	-
<b>AT91SAM7SE256</b>	<b>YES, 1.8-3.6V</b>	-
<b>AT91SAM7SE32</b>	<b>YES, 1.8-3.6V</b>	-
<b>AT91SAM7SE512</b>	<b>YES, 1.8-3.6V</b>	-
<b>AT91SAM7X128</b>	<b>YES, 3.0-3.6V</b>	-
<b>AT91SAM7X256</b>	<b>YES, 3.0-3.6V</b>	-
<b>AT91SAM7X512</b>	<b>YES, 3.0-3.6V</b>	-
<b>AT91SAM7XC128</b>	<b>YES, 3.0-3.6V</b>	-
<b>AT91SAM7XC256</b>	<b>YES, 3.0-3.6V</b>	-
<b>AT91SAM7XC512</b>	<b>YES, 3.0-3.6V</b>	-
<b>ATSAM3A4C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3A8C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N00A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N00B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N0A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N0B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N0C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N1A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N1B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N1C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N2A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N2B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N2C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N4A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N4B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3N4C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3S1A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3S1B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3S1C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3S2A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3S2B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3S2C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3S4A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3S4B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3S4C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3S8B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3S8C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3SD8B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3SD8C</b>	<b>YES, 1.8-3.6V</b>	-

<b>ATSAM3U1C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3U1E</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3U2C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3U2E</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3U4C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3U4E</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3X4C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3X4E</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3X8C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM3X8E</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4E16C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4E16E</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4E8C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4E8E</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LC2A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LC2B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LC2C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LC4A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LC4B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LC4C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LC8A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LC8B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LC8C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LS2A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LS2B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LS2C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LS4A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LS4B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LS4C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LS8A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LS8B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4LS8C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4N16B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4N16C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4N8A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4N8B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4N8C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4S16B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4S16C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4S2A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4S2B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4S2C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4S4A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4S4B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4S4C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4S8B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4S8C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4SA16B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4SA16C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4SD16B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4SD16C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4SD32B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAM4SD32C</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMC20E15A</b>	<b>YES, 2.7-5.5V</b>	-

<b>ATSAMC20E16A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20E17A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20E18A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20G15A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20G16A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20G17A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20G18A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20J15A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20J16A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20J17A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20J18A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20N17A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC20N18A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21E15A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21E16A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21E17A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21E18A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21G15A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21G16A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21G17A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21G18A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21J15A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21J16A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21J17A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21J18A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21N17A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMC21N18A</b>	<b>YES, 2.7-5.5V</b>	-
<b>ATSAMD09C13A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD09D14A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD10C13A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD10C14A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD10D13A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD10D14A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD11C14A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD11D14A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20E14A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20E15A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20E16A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20E17A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20E18A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20G14A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20G15A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20G16A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20G17A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20G18A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20J14A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20J15A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20J16A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20J17A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD20J18A/B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21E15A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21E15L</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21E16A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21E16L</b>	<b>YES, 1.8-3.6V</b>	-

<b>ATSAMD21E17A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21E17L</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21E18A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21G15A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21G15L</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21G16A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21G16L</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21G17A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21G17L</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21G18A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21J15A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21J16A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21J17A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD21J18A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD51G18A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD51G19A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD51J18A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD51J19A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD51J20A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD51N19A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD51N20A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD51P19A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMD51P20A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMDA1E14B</b>	<b>YES, 2.7-3.6V</b>	-
<b>ATSAMDA1E15B</b>	<b>YES, 2.7-3.6V</b>	-
<b>ATSAMDA1E16B</b>	<b>YES, 2.7-3.6V</b>	-
<b>ATSAMDA1G14B</b>	<b>YES, 2.7-3.6V</b>	-
<b>ATSAMDA1G15B</b>	<b>YES, 2.7-3.6V</b>	-
<b>ATSAMDA1G16B</b>	<b>YES, 2.7-3.6V</b>	-
<b>ATSAMDA1J14B</b>	<b>YES, 2.7-3.6V</b>	-
<b>ATSAMDA1J15B</b>	<b>YES, 2.7-3.6V</b>	-
<b>ATSAMDA1J16B</b>	<b>YES, 2.7-3.6V</b>	-
<b>ATSAME51G18A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME51G19A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME51J18A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME51J19A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME51J20A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME51N19A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME51N20A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME53J18A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME53J19A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME53J20A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME53N19A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME53N20A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME54N19A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME54N20A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME54P19A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME54P20A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME70J19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME70J20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME70J21</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME70N19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME70N20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME70N21</b>	<b>YES, 1.8-3.6V</b>	-

<b>ATSAME70Q19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME70Q20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAME70Q21</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMG51G18</b>	<b>YES, 1.8-2.0V</b>	-
<b>ATSAMG51N18</b>	<b>YES, 1.8-2.0V</b>	-
<b>ATSAMG53G19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMG53N19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMG54G19B</b>	<b>YES, 1.8-3.4V</b>	-
<b>ATSAMG54N19B</b>	<b>YES, 1.8-3.4V</b>	-
<b>ATSAMG55G19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMG55J19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML21E15B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML21E16B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML21E17B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML21E18B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML21G16B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML21G17B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML21G18B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML21J16B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML21J17B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML21J18B</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML22G16A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML22G17A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML22G18A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML22J16A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML22J17A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML22J18A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML22N16A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML22N17A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAML22N18A</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMS70J19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMS70J20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMS70J21</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMS70N19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMS70N20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMS70N21</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMS70Q19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMS70Q20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMS70Q21</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV70J19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV70J20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV70N19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV70N20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV70Q19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV70Q20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV71J19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV71J20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV71J21</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV71N19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV71N20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV71N21</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV71Q19</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV71Q20</b>	<b>YES, 1.8-3.6V</b>	-
<b>ATSAMV71Q21</b>	<b>YES, 1.8-3.6V</b>	-

BlueNRG-1	YES, 1.7-3.6V	-
CY8C4045FNI-DS402	YES, 1.7-5.5V	-
CY8C4045PVI-DS402	YES, 1.7-5.5V	-
CY8C4124AXI-443	YES, 1.7-5.5V	-
CY8C4124AXQ-443	YES, 1.7-5.5V	-
CY8C4124AZI-443	YES, 1.7-5.5V	-
CY8C4124FNI-443	YES, 1.7-5.5V	-
CY8C4124LQI-443	YES, 1.7-5.5V	-
CY8C4124LQQ-443	YES, 1.7-5.5V	-
CY8C4124PVI-432	YES, 1.7-5.5V	-
CY8C4124PVI-442	YES, 1.7-5.5V	-
CY8C4124PVQ-432	YES, 1.7-5.5V	-
CY8C4125AXI-473	YES, 1.7-5.5V	-
CY8C4125AXI-483	YES, 1.7-5.5V	-
CY8C4125AXQ-473	YES, 1.7-5.5V	-
CY8C4125AXQ-483	YES, 1.7-5.5V	-
CY8C4125AZI-473	YES, 1.7-5.5V	-
CY8C4125AZI-483	YES, 1.7-5.5V	-
CY8C4125LQI-483	YES, 1.7-5.5V	-
CY8C4125LQQ-483	YES, 1.7-5.5V	-
CY8C4125PVI-482	YES, 1.7-5.5V	-
CY8C4244AXQ-443	YES, 1.7-5.5V	-
CY8C4244AZI-443	YES, 1.7-5.5V	-
CY8C4244FNI-443	YES, 1.7-5.5V	-
CY8C4244LQI-443	YES, 1.7-5.5V	-
CY8C4244LQQ-443	YES, 1.7-5.5V	-
CY8C4244PVI-442	YES, 1.7-5.5V	-
CY8C4244PVQ-432	YES, 1.7-5.5V	-
CY8C4244PVQ-442	YES, 1.7-5.5V	-
CY8C4245AXI-473	YES, 1.7-5.5V	-
CY8C4245AXI-483	YES, 1.7-5.5V	-
CY8C4245AXQ-473	YES, 1.7-5.5V	-
CY8C4245AXQ-483	YES, 1.7-5.5V	-
CY8C4245AZI-473	YES, 1.7-5.5V	-
CY8C4245AZI-483	YES, 1.7-5.5V	-
CY8C4245FNI-483	YES, 1.7-5.5V	-
CY8C4245FNI-DS402	YES, 1.7-5.5V	-
CY8C4245LQI-483	YES, 1.7-5.5V	-
CY8C4245LQQ-483	YES, 1.7-5.5V	-
CY8C4245PVI-482	YES, 1.7-5.5V	-
CY8C4245PVI-DS402	YES, 1.7-5.5V	-
CY8C4245PVQ-482	YES, 1.7-5.5V	-
CY8C4246FNI-DS402	YES, 1.7-5.5V	-
CY8C4246PVI-DS402	YES, 1.7-5.5V	-
EFM32G200F16	YES, 2.0-3.8V	-
EFM32G200F32	YES, 2.0-3.8V	-
EFM32G200F64	YES, 2.0-3.8V	-
EFM32G210F128	YES, 2.0-3.8V	-
EFM32G222F128	YES, 2.0-3.8V	-
EFM32G222F32	YES, 2.0-3.8V	-
EFM32G222F64	YES, 2.0-3.8V	-
EFM32G230F128	YES, 2.0-3.8V	-
EFM32G230F32	YES, 2.0-3.8V	-
EFM32G230F64	YES, 2.0-3.8V	-

<b>EFM32G232F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G232F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G232F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G280F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G280F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G280F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G290F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G290F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G290F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G840F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G840F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G840F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G842F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G842F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G842F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G880F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G880F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G880F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G890F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G890F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32G890F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG11B110F2048</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG11B120F2048</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG11B310F2048</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG11B320F2048</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG11B420F2048</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG11B510F2048</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG11B520F2048</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG11B820F2048</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG11B840F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG12B110F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG12B130F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG12B310F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG12B330F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG12B410F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG12B430F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG12B510F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG12B530F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG12B810F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG12B830F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32GG230F1024</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG230F512</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG232F1024</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG232F512</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG280F1024</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG280F512</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG290F1024</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG290F512</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG295F1024</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG295F512</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG330F1024</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG330F512</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG332F1024</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32GG332F512</b>	<b>YES, 2.0-3.8V</b>	-

EFM32GG380F1024	YES, 2.0-3.8V	-
EFM32GG380F512	YES, 2.0-3.8V	-
EFM32GG390F1024	YES, 2.0-3.8V	-
EFM32GG390F512	YES, 2.0-3.8V	-
EFM32GG395F1024	YES, 2.0-3.8V	-
EFM32GG395F512	YES, 2.0-3.8V	-
EFM32GG840F1024	YES, 2.0-3.8V	-
EFM32GG840F512	YES, 2.0-3.8V	-
EFM32GG842F1024	YES, 2.0-3.8V	-
EFM32GG842F512	YES, 2.0-3.8V	-
EFM32GG880F1024	YES, 2.0-3.8V	-
EFM32GG880F512	YES, 2.0-3.8V	-
EFM32GG890F1024	YES, 2.0-3.8V	-
EFM32GG890F512	YES, 2.0-3.8V	-
EFM32GG895F1024	YES, 2.0-3.8V	-
EFM32GG895F512	YES, 2.0-3.8V	-
EFM32GG940F1024	YES, 2.0-3.8V	-
EFM32GG940F512	YES, 2.0-3.8V	-
EFM32GG942F1024	YES, 2.0-3.8V	-
EFM32GG942F512	YES, 2.0-3.8V	-
EFM32GG980F1024	YES, 2.0-3.8V	-
EFM32GG980F512	YES, 2.0-3.8V	-
EFM32GG990F1024	YES, 2.0-3.8V	-
EFM32GG990F512	YES, 2.0-3.8V	-
EFM32GG995F1024	YES, 2.0-3.8V	-
EFM32GG995F512	YES, 2.0-3.8V	-
EFM32HG108F32	YES, 2.0-3.8V	-
EFM32HG108F64	YES, 2.0-3.8V	-
EFM32HG110F32	YES, 2.0-3.8V	-
EFM32HG110F64	YES, 2.0-3.8V	-
EFM32HG210F32	YES, 2.0-3.8V	-
EFM32HG210F64	YES, 2.0-3.8V	-
EFM32HG222F32	YES, 2.0-3.8V	-
EFM32HG222F64	YES, 2.0-3.8V	-
EFM32HG308F32	YES, 2.0-3.8V	-
EFM32HG308F64	YES, 2.0-3.8V	-
EFM32HG309F32	YES, 2.0-3.8V	-
EFM32HG309F64	YES, 2.0-3.8V	-
EFM32HG310F32	YES, 2.0-3.8V	-
EFM32HG310F64	YES, 2.0-3.8V	-
EFM32HG321F32	YES, 2.0-3.8V	-
EFM32HG321F64	YES, 2.0-3.8V	-
EFM32HG322F32	YES, 2.0-3.8V	-
EFM32HG322F64	YES, 2.0-3.8V	-
EFM32HG350F32	YES, 2.0-3.8V	-
EFM32HG350F64	YES, 2.0-3.8V	-
EFM32JG12B500F1024	YES, 1.8-3.8V	-
EFM32JG1B100F128	YES, 2.0-3.8V	-
EFM32JG1B100F256	YES, 2.0-3.8V	-
EFM32JG1B200F128	YES, 2.0-3.8V	-
EFM32JG1B200F256	YES, 2.0-3.8V	-
EFM32LG230F128	YES, 2.0-3.8V	-
EFM32LG230F256	YES, 2.0-3.8V	-
EFM32LG230F64	YES, 2.0-3.8V	-

<b>EFM32LG232F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG232F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG232F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG280F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG280F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG280F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG290F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG290F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG290F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG295F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG295F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG295F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG330F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG330F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG330F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG332F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG332F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG332F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG360F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG360F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG360F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG380F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG380F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG380F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG390F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG390F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG390F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG395F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG395F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG395F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG840F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG840F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG840F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG842F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG842F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG842F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG880F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG880F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG880F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG890F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG890F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG890F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG895F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG895F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG895F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG940F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG940F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG940F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG942F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG942F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG942F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG980F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG980F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG980F64</b>	<b>YES, 2.0-3.8V</b>	-

<b>EFM32LG990F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG990F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG990F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG995F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG995F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32LG995F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32PG1B100F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32PG1B100F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32PG1B200F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32PG1B200F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG108F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG108F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG108F4</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG108F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG110F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG110F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG110F4</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG110F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG11B120F128</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32TG11B140F64</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32TG11B320F128</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32TG11B340F64</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32TG11B520F128</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32TG11B540F64</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFM32TG210F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG210F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG210F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG222F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG222F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG222F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG225F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG225F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG225F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG230F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG230F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG230F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG232F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG232F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG232F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG822F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG822F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG822F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG825F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG825F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG825F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG840F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG840F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG840F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG842F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG842F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32TG842F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG230F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG230F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG230F64</b>	<b>YES, 2.0-3.8V</b>	-

<b>EFM32WG232F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG232F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG232F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG280F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG280F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG280F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG290F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG290F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG290F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG295F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG295F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG295F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG330F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG330F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG330F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG332F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG332F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG332F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG360F128G</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG360F256G</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG360F64G</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG380F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG380F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG380F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG390F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG390F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG390F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG395F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG395F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG395F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG840F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG840F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG840F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG842F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG842F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG842F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG880F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG880F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG880F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG890F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG890F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG890F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG895F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG895F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG895F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG940F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG940F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG940F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG942F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG942F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG942F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG980F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG980F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG980F64</b>	<b>YES, 2.0-3.8V</b>	-

<b>EFM32WG990F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG990F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG990F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG995F128</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG995F256</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32WG995F64</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG108F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG108F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG108F4</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG108F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG110F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG110F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG110F4</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG110F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG210F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG210F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG210F4</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG210F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG222F16</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG222F32</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG222F4</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFM32ZG222F8</b>	<b>YES, 2.0-3.8V</b>	-
<b>EFR32BG12P132F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32BG12P232F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32BG12P232F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32BG12P332F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32BG12P432F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32BG12P433F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32BG13P532F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32BG13P632F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32BG13P732F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32BG13P733F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32BG14P532F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG14P632F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG14P732F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG14P733F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG1B132F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG1B132F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG1B232F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG1B232F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG1P232F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG1P233F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG1P332F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG1P333F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG1V132F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32BG1V132F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG12P231F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32FG12P231F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32FG12P232F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32FG12P431F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32FG12P431F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32FG12P432F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32FG12P433F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32FG13P231F512</b>	<b>YES, 1.8-3.8V</b>	-

<b>EFR32FG13P232F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32FG13P233F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32FG14P231F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG14P231F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG14P232F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG14P232F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG14P233F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG14P233F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1P131F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1P131F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1P131F64</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1P132F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1P132F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1P132F64</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1P133F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1P133F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1P133F64</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1V032F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1V032F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1V131F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1V131F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1V131F32</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1V131F64</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1V132F128</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1V132F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1V132F32</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32FG1V132F64</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32MG12P132F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG12P132F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG12P231F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG12P232F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG12P232F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG12P332F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG12P431F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG12P432F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG12P433F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG13P632F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG13P732F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG13P733F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG14P632F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32MG14P732F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32MG14P733F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32MG1B132F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32MG1B232F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32MG1P132F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32MG1P133F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32MG1P232F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32MG1P233F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32MG1V132F256</b>	<b>YES, 1.9-3.8V</b>	-
<b>EFR32MG21A010F1024</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG21A010F512</b>	<b>YES, 1.8-3.8V</b>	-
<b>EFR32MG21A010F768</b>	<b>YES, 1.8-3.8V</b>	-
<b>LPC1101LV</b>	<b>YES, 1.8-1.9V</b>	-
<b>LPC1102</b>	<b>YES, 1.8-3.6V</b>	-

LPC1102LV	YES, 1.8-1.9V	-
LPC1104	YES, 1.8-3.6V	-
LPC1110	YES, 1.8-3.6V	-
LPC1111/002	YES, 1.8-3.6V	-
LPC1111/101	YES, 1.8-3.6V	-
LPC1111/102	YES, 1.8-3.6V	-
LPC1111/103	YES, 1.8-3.6V	-
LPC1111/201	YES, 1.8-3.6V	-
LPC1111/202	YES, 1.8-3.6V	-
LPC1111/203	YES, 1.8-3.6V	-
LPC1112/101	YES, 1.8-3.6V	-
LPC1112/102	YES, 1.8-3.6V	-
LPC1112/103	YES, 1.8-3.6V	-
LPC1112/201	YES, 1.8-3.6V	-
LPC1112/202	YES, 1.8-3.6V	-
LPC1112/203	YES, 1.8-3.6V	-
LPC1112LV/003	YES, 1.8-1.9V	-
LPC1112LV/103	YES, 1.8-1.9V	-
LPC1113/201	YES, 1.8-3.6V	-
LPC1113/202	YES, 1.8-3.6V	-
LPC1113/203	YES, 1.8-3.6V	-
LPC1113/301	YES, 1.8-3.6V	-
LPC1113/302	YES, 1.8-3.6V	-
LPC1113/303	YES, 1.8-3.6V	-
LPC1114/102	YES, 1.8-3.6V	-
LPC1114/201	YES, 1.8-3.6V	-
LPC1114/202	YES, 1.8-3.6V	-
LPC1114/203	YES, 1.8-3.6V	-
LPC1114/301	YES, 1.8-3.6V	-
LPC1114/302	YES, 1.8-3.6V	-
LPC1114/303	YES, 1.8-3.6V	-
LPC1114/323	YES, 1.8-3.6V	-
LPC1114/333	YES, 1.8-3.6V	-
LPC1114LV/103	YES, 1.8-1.9V	-
LPC1114LV/303	YES, 1.8-1.9V	-
LPC1115	YES, 1.8-3.6V	-
LPC1124	YES, 1.8-3.6V	-
LPC1125	YES, 1.8-3.6V	-
LPC11A02	YES, 2.6-3.6V	-
LPC11A04	YES, 2.6-3.6V	-
LPC11A11	YES, 2.6-3.6V	-
LPC11A12	YES, 2.6-3.6V	-
LPC11A13	YES, 2.6-3.6V	-
LPC11A14	YES, 2.6-3.6V	-
LPC11C12	YES, 1.8-3.6V	-
LPC11C14	YES, 1.8-3.6V	-
LPC11C22	YES, 1.8-3.6V	-
LPC11C24	YES, 1.8-3.6V	-
LPC11D14	YES, 1.8-3.6V	-
LPC11E11	YES, 1.8-3.6V	-
LPC11E12	YES, 1.8-3.6V	-
LPC11E13	YES, 1.8-3.6V	-
LPC11E14	YES, 1.8-3.6V	-
LPC11E35	YES, 1.8-3.6V	-

LPC11E36	YES, 1.8-3.6V	-
LPC11E37	YES, 1.8-3.6V	-
LPC11E66	YES, 2.4-3.6V	-
LPC11E67	YES, 2.4-3.6V	-
LPC11E68	YES, 2.4-3.6V	-
LPC11U12	YES, 1.8-3.6V	-
LPC11U13	YES, 1.8-3.6V	-
LPC11U14	YES, 1.8-3.6V	-
LPC11U22	YES, 1.8-3.6V	-
LPC11U23	YES, 1.8-3.6V	-
LPC11U24/301	YES, 1.8-3.6V	-
LPC11U24/401	YES, 1.8-3.6V	-
LPC11U34/311	YES, 1.8-3.6V	-
LPC11U34/421	YES, 1.8-3.6V	-
LPC11U35	YES, 1.8-3.6V	-
LPC11U36	YES, 1.8-3.6V	-
LPC11U37	YES, 1.8-3.6V	-
LPC11U66	YES, 2.4-3.6V	-
LPC11U67	YES, 2.4-3.6V	-
LPC11U68	YES, 2.4-3.6V	-
LPC1224/101	YES, 3.0-3.6V	-
LPC1224/121	YES, 2.4-3.6V	-
LPC1225/301	YES, 3.0-3.6V	-
LPC1225/321	YES, 3.0-3.6V	-
LPC1226	YES, 3.0-3.6V	-
LPC1227	YES, 3.0-3.6V	-
LPC1315	YES, 2.0-3.6V	-
LPC1316	YES, 2.0-3.6V	-
LPC1317	YES, 2.0-3.6V	-
LPC1345	YES, 2.0-3.6V	-
LPC1346	YES, 2.0-3.6V	-
LPC1347	YES, 2.0-3.6V	-
LPC1517	YES, 2.4-3.6V	-
LPC1518	YES, 2.4-3.6V	-
LPC1519	YES, 2.4-3.6V	-
LPC1547	YES, 2.4-3.6V	-
LPC1548	YES, 2.4-3.6V	-
LPC1549	YES, 2.4-3.6V	-
LPC1751	YES, 2.4-3.6V	-
LPC1752	YES, 2.4-3.6V	-
LPC1754	YES, 2.4-3.6V	-
LPC1756	YES, 2.4-3.6V	-
LPC1758	YES, 2.4-3.6V	-
LPC1759	YES, 2.4-3.6V	-
LPC1763	YES, 2.4-3.6V	-
LPC1764	YES, 2.4-3.6V	-
LPC1765	YES, 2.4-3.6V	-
LPC1766	YES, 2.4-3.6V	-
LPC1767	YES, 2.4-3.6V	-
LPC1768	YES, 2.4-3.6V	-
LPC1769	YES, 2.4-3.6V	-
LPC2101	YES, 2.6-3.6V	-
LPC2102	YES, 2.6-3.6V	-
LPC2103	YES, 2.6-3.6V	-

<b>LPC2104</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2105</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2106</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2109</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2114</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2119</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2124</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2129</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2131</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2132</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2134</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2136</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2138</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2141</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2142</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2144</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2146</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2148</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2194</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2212</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2214</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2292</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2294</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2361</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2362</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2364</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2365</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2366</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2367</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2368</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2377</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2378</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2387</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2388</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2458</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2468</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC2478</b>	<b>YES, 3.0-3.6V</b>	-
<b>LPC802</b>	<b>YES, 1.8-3.6V</b>	-
<b>LPC804</b>	<b>YES, 1.8-3.6V</b>	-
<b>LPC810</b>	<b>YES, 1.8-3.6V</b>	-
<b>LPC811</b>	<b>YES, 1.8-3.6V</b>	-
<b>LPC812</b>	<b>YES, 1.8-3.6V</b>	-
<b>LPC822</b>	<b>YES, 1.8-3.6V</b>	-
<b>LPC824</b>	<b>YES, 1.8-3.6V</b>	-
<b>LPC832</b>	<b>YES, 1.8-3.6V</b>	-
<b>LPC834</b>	<b>YES, 1.8-3.6V</b>	-
<b>LPC844</b>	<b>YES, 1.8-3.6V</b>	-
<b>LPC845</b>	<b>YES, 1.8-3.6V</b>	-
<b>MK60FN1M0</b>	<b>YES, 1.8-3.6V</b>	-
<b>MK64FN1M0</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKE02Z16</b>	<b>YES, 2.7-5.5V</b>	-
<b>MKE02Z32</b>	<b>YES, 2.7-5.5V</b>	-
<b>MKE02Z64</b>	<b>YES, 2.7-5.5V</b>	-
<b>MKE04Z8</b>	<b>YES, 2.7-5.5V</b>	-

<b>MKL15Z128</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKL15Z32</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKL15Z64</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKL33Z32</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKL33Z64</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV10Z128</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV10Z16</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV10Z32</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV11Z128</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV11Z64</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV30F128</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV30F64</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV31F128</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV31F256</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV31F512</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV42F128</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV42F256</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV42F64</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV44F128</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV44F256</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV44F64</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV46F128</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKV46F256</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKW21Z256</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKW21Z512</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKW31Z256</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKW31Z512</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKW41Z256</b>	<b>YES, 1.8-3.6V</b>	-
<b>MKW41Z512</b>	<b>YES, 1.8-3.6V</b>	-
<b>nRF52832-CIAA</b>	<b>YES, 1.7-3.6V</b>	-
<b>nRF52832-QFAA</b>	<b>YES, 1.7-3.6V</b>	-
<b>nRF52832-QFAB</b>	<b>YES, 1.7-3.6V</b>	-
<b>nRF52840</b>	<b>YES, 1.7-3.6V</b>	-
<b>PIC32CM1216MC00032</b>	<b>YES, 2.7-5.5V</b>	-
<b>PIC32CM1216MC00048</b>	<b>YES, 2.7-5.5V</b>	-
<b>PIC32CM6408MC00032</b>	<b>YES, 2.7-5.5V</b>	-
<b>PIC32CM6408MC00048</b>	<b>YES, 2.7-5.5V</b>	-
<b>STM32F030C6</b>	<b>YES, 2.4-3.6V</b>	-
<b>STM32F030C8</b>	<b>YES, 2.4-3.6V</b>	-
<b>STM32F030CC</b>	<b>YES, 2.4-3.6V</b>	-
<b>STM32F030F4</b>	<b>YES, 2.4-3.6V</b>	-
<b>STM32F030K6</b>	<b>YES, 2.4-3.6V</b>	-
<b>STM32F030R8</b>	<b>YES, 2.4-3.6V</b>	-
<b>STM32F030RC</b>	<b>YES, 2.4-3.6V</b>	-
<b>STM32F031C4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F031C6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F031E6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F031F4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F031F6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F031G4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F031G6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F031K4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F031K6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F038C6</b>	<b>YES, 1.8-1.9V</b>	-

<b>STM32F038E6</b>	<b>YES, 1.8-1.9V</b>	-
<b>STM32F038F6</b>	<b>YES, 1.8-1.9V</b>	-
<b>STM32F038G6</b>	<b>YES, 1.8-1.9V</b>	-
<b>STM32F038K6</b>	<b>YES, 1.8-1.9V</b>	-
<b>STM32F042C4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F042C6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F042F4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F042F6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F042G4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F042G6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F042K4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F042K6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F042T6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F048C6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F048G6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F048T6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F051C4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F051C6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F051C8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F051K4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F051K6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F051K8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F051R4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F051R6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F051R8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F051T8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F058C8</b>	<b>YES, 1.8-1.9V</b>	-
<b>STM32F058R8</b>	<b>YES, 1.8-1.9V</b>	-
<b>STM32F058T8</b>	<b>YES, 1.8-1.9V</b>	-
<b>STM32F070C6</b>	<b>YES, 2.4-3.6V</b>	-
<b>STM32F070CB</b>	<b>YES, 2.4-3.6V</b>	-
<b>STM32F070F6</b>	<b>YES, 2.4-3.6V</b>	-
<b>STM32F070RB</b>	<b>YES, 2.4-3.6V</b>	-
<b>STM32F071CB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F071RB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F071V8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F071VB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F072C8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F072CB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F072R8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F072RB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F072V8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F072VB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F078CB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F078RB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F078VB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F091CB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F091CC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F091RB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F091RC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F091VB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F091VC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F098CC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F098RC</b>	<b>YES, 1.8-3.6V</b>	-

<b>STM32F098VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F100C4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100C6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100C8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100CB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100R4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100R6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100R8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100RB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100RC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100RD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100RE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100V8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100VB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100VC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100VD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100VE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100ZC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100ZD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F100ZE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101C4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101C6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101C8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101CB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101R4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101R6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101R8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101RB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101RC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101RD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101RE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101RF</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101RG</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101T4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101T6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101T8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101TB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101V8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101VB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101VC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101VD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101VE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101VF</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101VG</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101ZC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101ZD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101ZE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101ZF</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F101ZG</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F102C4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F102C6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F102C8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F102CB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F102R4</b>	<b>YES, 2.0-3.6V</b>	-

<b>STM32F102R6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F102R8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F102RB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103C4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103C6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103C8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103CB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103R4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103R6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103R8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103RB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103RC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103RD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103RE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103RF</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103RG</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103T4</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103T6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103T8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103TB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103V8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103VB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103VC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103VD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103VE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103VF</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103VG</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103ZC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103ZD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103ZE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103ZF</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F103ZG</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F105R8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F105RB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F105RC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F105V8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F105VB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F105VC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F107RB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F107RC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F107VB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F107VC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F205RB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205RF</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205RG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205VB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205VF</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205ZC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205ZE</b>	<b>YES, 1.8-3.6V</b>	-

<b>STM32F205ZF</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F205ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207IC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207IE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207IF</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207VF</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207ZC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207ZF</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F207ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F215RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F215RG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F215VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F215VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F215ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F215ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F217IE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F217IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F217VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F217VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F217ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F217ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F301C6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F301C8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F301K6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F301K8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F301R6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F301R8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302C6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302C8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302CB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302CC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302K6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302K8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302R6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302R8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302RB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302RC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302RD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302RE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302VB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302VC</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302VD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302VE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302ZD</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F302ZE</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F303C6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F303C8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F303CB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32F303CC</b>	<b>YES, 2.0-3.6V</b>	-

STM32F303K6	YES, 2.0-3.6V	-
STM32F303K8	YES, 2.0-3.6V	-
STM32F303R6	YES, 2.0-3.6V	-
STM32F303R8	YES, 2.0-3.6V	-
STM32F303RB	YES, 2.0-3.6V	-
STM32F303RC	YES, 2.0-3.6V	-
STM32F303RD	YES, 2.0-3.6V	-
STM32F303RE	YES, 2.0-3.6V	-
STM32F303VB	YES, 2.0-3.6V	-
STM32F303VC	YES, 2.0-3.6V	-
STM32F303VD	YES, 2.0-3.6V	-
STM32F303VE	YES, 2.0-3.6V	-
STM32F303ZD	YES, 2.0-3.6V	-
STM32F303ZE	YES, 2.0-3.6V	-
STM32F318C8	YES, 1.8-1.9V	-
STM32F318K8	YES, 1.8-1.9V	-
STM32F328C8	YES, 1.8-1.9V	-
STM32F334C4	YES, 2.0-3.6V	-
STM32F334C6	YES, 2.0-3.6V	-
STM32F334C8	YES, 2.0-3.6V	-
STM32F334K4	YES, 2.0-3.6V	-
STM32F334K6	YES, 2.0-3.6V	-
STM32F334K8	YES, 2.0-3.6V	-
STM32F334R6	YES, 2.0-3.6V	-
STM32F334R8	YES, 2.0-3.6V	-
STM32F358CC	YES, 1.8-1.9V	-
STM32F358RC	YES, 1.8-1.9V	-
STM32F358VC	YES, 1.8-1.9V	-
STM32F373C8	YES, 2.0-3.6V	-
STM32F373CB	YES, 2.0-3.6V	-
STM32F373CC	YES, 2.0-3.6V	-
STM32F373R8	YES, 2.0-3.6V	-
STM32F373RB	YES, 2.0-3.6V	-
STM32F373RC	YES, 2.0-3.6V	-
STM32F373V8	YES, 2.0-3.6V	-
STM32F373VB	YES, 2.0-3.6V	-
STM32F373VC	YES, 2.0-3.6V	-
STM32F378CC	YES, 1.8-1.9V	-
STM32F378RC	YES, 1.8-1.9V	-
STM32F378VC	YES, 1.8-1.9V	-
STM32F398VE	YES, 1.8-1.9V	-
STM32F401CB	YES, 1.8-3.6V	-
STM32F401CC	YES, 1.8-3.6V	-
STM32F401CD	YES, 1.8-3.6V	-
STM32F401CE	YES, 1.8-3.6V	-
STM32F401RB	YES, 1.8-3.6V	-
STM32F401RC	YES, 1.8-3.6V	-
STM32F401RD	YES, 1.8-3.6V	-
STM32F401RE	YES, 1.8-3.6V	-
STM32F401VB	YES, 1.8-3.6V	-
STM32F401VC	YES, 1.8-3.6V	-
STM32F401VD	YES, 1.8-3.6V	-
STM32F401VE	YES, 1.8-3.6V	-
STM32F405OE	YES, 1.8-3.6V	-

STM32F405OG	YES, 1.8-3.6V	-
STM32F405RG	YES, 1.8-3.6V	-
STM32F405VG	YES, 1.8-3.6V	-
STM32F405ZG	YES, 1.8-3.6V	-
STM32F407IE	YES, 1.8-3.6V	-
STM32F407IG	YES, 1.8-3.6V	-
STM32F407VE	YES, 1.8-3.6V	-
STM32F407VG	YES, 1.8-3.6V	-
STM32F407ZE	YES, 1.8-3.6V	-
STM32F407ZG	YES, 1.8-3.6V	-
STM32F410C8	YES, 1.8-3.6V	-
STM32F410CB	YES, 1.8-3.6V	-
STM32F410R8	YES, 1.8-3.6V	-
STM32F410RB	YES, 1.8-3.6V	-
STM32F410T8	YES, 1.8-3.6V	-
STM32F410TB	YES, 1.8-3.6V	-
STM32F411CC	YES, 1.8-3.6V	-
STM32F411CE	YES, 1.8-3.6V	-
STM32F411RC	YES, 1.8-3.6V	-
STM32F411RE	YES, 1.8-3.6V	-
STM32F411VC	YES, 1.8-3.6V	-
STM32F411VE	YES, 1.8-3.6V	-
STM32F412CE	YES, 1.8-3.6V	-
STM32F412CG	YES, 1.8-3.6V	-
STM32F412RE	YES, 1.8-3.6V	-
STM32F412RG	YES, 1.8-3.6V	-
STM32F412VE	YES, 1.8-3.6V	-
STM32F412VG	YES, 1.8-3.6V	-
STM32F412ZE	YES, 1.8-3.6V	-
STM32F412ZG	YES, 1.8-3.6V	-
STM32F413CG	YES, 1.8-3.6V	-
STM32F413CH	YES, 1.8-3.6V	-
STM32F413MG	YES, 1.8-3.6V	-
STM32F413MH	YES, 1.8-3.6V	-
STM32F413RG	YES, 1.8-3.6V	-
STM32F413RH	YES, 1.8-3.6V	-
STM32F413VG	YES, 1.8-3.6V	-
STM32F413VH	YES, 1.8-3.6V	-
STM32F413ZG	YES, 1.8-3.6V	-
STM32F413ZH	YES, 1.8-3.6V	-
STM32F415OG	YES, 1.8-3.6V	-
STM32F415RG	YES, 1.8-3.6V	-
STM32F415VG	YES, 1.8-3.6V	-
STM32F415ZG	YES, 1.8-3.6V	-
STM32F417IE	YES, 1.8-3.6V	-
STM32F417IG	YES, 1.8-3.6V	-
STM32F417VE	YES, 1.8-3.6V	-
STM32F417VG	YES, 1.8-3.6V	-
STM32F417ZE	YES, 1.8-3.6V	-
STM32F417ZG	YES, 1.8-3.6V	-
STM32F423CH	YES, 1.8-3.6V	-
STM32F423MH	YES, 1.8-3.6V	-
STM32F423RH	YES, 1.8-3.6V	-
STM32F423VH	YES, 1.8-3.6V	-

<b>STM32F423ZH</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F427IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F427II</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F427VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F427VI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F427ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F427ZI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F429BI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F429IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F429II</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F429VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F429VI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F429ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F429ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F429ZI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F437IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F437II</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F437VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F437VI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F437ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F437ZI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F439BI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F439IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F439II</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F439VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F439VI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F439ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F439ZI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F722IC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F722IE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F722RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F722RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F722VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F722VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F722ZC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F722ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F723IC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F723IE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F723VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F723ZC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F723ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F732IE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F732RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F732VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F732ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F733IE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F733VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F733ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F745IE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F745IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F745VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F745VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F745ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F745ZG</b>	<b>YES, 1.8-3.6V</b>	-

<b>STM32F746BE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F746BG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F746IE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F746IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F746NE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F746NG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F746VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F746VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F746ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F746ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F756BG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F756IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F756NG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F756VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F756ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F765BG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F765BI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F765IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F765II</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F765NG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F765NI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F765VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F765VI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F765ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F765ZI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F767BG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F767BI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F767IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F767II</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F767NG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F767NI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F767VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F767VI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F767ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F767ZI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F769AI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F769BG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F769BI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F769IG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F769II</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F769NG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F769NI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F777BI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F777II</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F777NI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F777VI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F777ZI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F779AI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F779BI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F779II</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32F779NI</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32G030C6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32G030C8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32G030F6</b>	<b>YES, 2.0-3.6V</b>	-

<b>STM32G030J6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32G030K6</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32G030K8</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32G031C6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G031C8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G031F4</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G031F6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G031F8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G031G4</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G031G6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G031G8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G031J6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G031K6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G031K8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G031Y8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G041C8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G041F8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G041G8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G041J6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G041K8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G051C6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G051C8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G051F8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G051G6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G051G8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G051K6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G051K8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G070CB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32G070KB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32G070RB</b>	<b>YES, 2.0-3.6V</b>	-
<b>STM32G071C8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G071CB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G071EB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G071G8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G071GB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G071K8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G071KB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G071R8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G071RB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G081CB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G081EB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G081GB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G081KB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G081RB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431C6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431C8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431CB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431K6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431K8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431KB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431M6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431M8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431MB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431R6</b>	<b>YES, 1.7-3.6V</b>	-

<b>STM32G431R8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431RB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431V6</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431V8</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G431VB</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G473CE</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G473QE</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G473RE</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G473VE</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G474CE</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G474ME</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G474QE</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G474RE</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32G474VE</b>	<b>YES, 1.7-3.6V</b>	-
<b>STM32L010C6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L010F4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L010K4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L010K8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L010R8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L010RB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L011D3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L011D4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L011E3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L011E4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L011F3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L011F4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L011G4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L011K3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L011K4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L021D4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L021F4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L021G4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L021K4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L031C4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L031C6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L031E4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L031E6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L031F4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L031F6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L031G4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L031G6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L031K4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L031K6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L041C6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L041F6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L041G6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L041K6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L051C6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L051C8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L051K6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L051K8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L051R6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L051R8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L051T6</b>	<b>YES, 1.8-3.6V</b>	-

<b>STM32L051T8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L052C6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L052C8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L052K6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L052K8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L052R6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L052R8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L052T6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L052T8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L053C6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L053C8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L053R6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L053R8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L062K8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L063C8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L063R8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L071C8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L071CB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L071CZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L071K8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L071KB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L071KZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L071RB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L071RZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L071V8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L071VB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L071VZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L072CB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L072KB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L072KZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L072RB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L072RZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L072V8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L072VB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L072VZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L073CB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L073CZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L073RB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L073RZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L073V8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L073VB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L073VZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L081CZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L081KZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L082KB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L082KZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L083CB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L083CZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L083RB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L083RZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L083V8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L083VB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L083VZ</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L100C6-A</b>	<b>YES, 1.8-3.6V</b>	-

<b>STM32L100R8-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L100RB-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L100RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151C6-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151C8-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151CB-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151CC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151QC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151QD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151QE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151R6-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151R8-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151RB-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151RD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151UC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151V8-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151VB-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151VD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151ZC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L151ZD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152C6-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152C8-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152CB-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152CC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152QC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152QD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152QE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152R6-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152R8-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152RD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152V8-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152VB-A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152VD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152ZC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152ZD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L152ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L162QD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L162RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L162RD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L162RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L162VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L162VD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L162VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L162ZD</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L162ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L431CB</b>	<b>YES, 1.8-3.6V</b>	-

<b>STM32L431CC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L431KB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L431KC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L431RB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L431RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L431VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L432KB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L432KC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L433CB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L433CC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L433RB</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L433RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L433VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L442KC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L443CC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L443RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L443VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L451CC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L451CE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L451RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L451RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L451VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L451VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L452CC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L452CE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L452RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L452RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L452VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L452VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L462CE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L462RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L462VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L471QE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L471QG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L471RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L471RG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L471VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L471VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L471ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L471ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L475RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L475RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L475RG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L475VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L475VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L475VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476JE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476JG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476ME</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476MG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476QE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476QG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476RC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476RE</b>	<b>YES, 1.8-3.6V</b>	-

<b>STM32L476RG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476VC</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L476ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L486JG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L486QG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L486RG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L486VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L486ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L496AE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L496AG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L496QE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L496QG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L496RE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L496RG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L496VE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L496VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L496ZE</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L496ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L4A6AG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L4A6QG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L4A6RG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L4A6VG</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM32L4A6ZG</b>	<b>YES, 1.8-3.6V</b>	-
<b>R5F1xx (RL78)</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>R5F1006A</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1006C</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1006D</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1006E</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1007A</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1007C</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1007D</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1007E</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1008A</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1008C</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1008D</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1008E</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100AA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100AC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100AD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100AE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100AF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100AG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100BA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100BC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100BD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100BE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100BF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100BG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100CA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100CC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100CD</b>	<b>YES, 1.8-5.5V</b>	-

<b>R5F100CE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100CF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100CG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100EA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100EC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100ED</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100EE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100EF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100EG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100EH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100FA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100FC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100FD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100FE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100FF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100FG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100FH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100FJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100FK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100FL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100GA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100GC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100GD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100GE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100GF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100GG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100GH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100GJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100GK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100GL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100JC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100JD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100JE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100JF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100JG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100JH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100JJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100JK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100JL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100LC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100LD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100LE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100LF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100LG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100LH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100LJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100LK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100LL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100MF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100MG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100MH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100MJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100MK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100ML</b>	<b>YES, 1.8-5.5V</b>	-

<b>R5F100PF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100PG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100PH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100PJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100PK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100PL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100SH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100SJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100SK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F100SL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1016A</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1016C</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1016D</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1016E</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1017A</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1017C</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1017D</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1017E</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1018A</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1018C</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1018D</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1018E</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101AA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101AC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101AD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101AE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101AF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101AG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101BA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101BC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101BD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101BE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101BF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101BG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101CA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101CC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101CD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101CE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101CF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101CG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101EA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101EC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101ED</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101EE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101EF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101EG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101EH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101FA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101FC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101FD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101FE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101FF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101FG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101FH</b>	<b>YES, 1.8-5.5V</b>	-

<b>R5F101FJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101FK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101FL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101GA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101GC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101GD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101GE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101GF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101GG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101GH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101GJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101GK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101GL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101JC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101JD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101JE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101JF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101JG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101JH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101JJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101JK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101JL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101LC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101LD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101LE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101LF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101LG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101LH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101LJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101LK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101LL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101MF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101MG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101MH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101MJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101MK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101ML</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101PF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101PG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101PH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101PJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101PK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101PL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101SH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101SJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101SK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F101SL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10266</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10267</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10268</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10269</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1026A</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10277</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10278</b>	<b>YES, 1.8-5.5V</b>	-

<b>R5F10279</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1027A</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F102A7</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F102A8</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F102A9</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F102AA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10366</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10367</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10368</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10369</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1036A</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10377</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10378</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10379</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1037A</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F103A7</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F103A8</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F103A9</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F103AA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104AA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104AC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104AD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104AE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104AF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104AG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104BA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104BC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104BD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104BE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104BF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104BG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104CA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104CC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104CD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104CE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104CF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104CG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104EA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104EC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104ED</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104EE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104EF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104EG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104EH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104FA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104FC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104FD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104FE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104FF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104FG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104FH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104FJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104GA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104GC</b>	<b>YES, 1.8-5.5V</b>	-

<b>R5F104GD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104GE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104GF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104GG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104GH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104GJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104GK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104GL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104JC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104JD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104JE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104JF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104JG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104JH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104JJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104LC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104LD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104LE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104LF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104LG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104LH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104LJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104LK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104LL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104MF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104MG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104MH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104MJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104MK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104ML</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104PF</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104PG</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104PH</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104PJ</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104PK</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F104PL</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1096B</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1096A</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1096B</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1096C</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1096D</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F1096E</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109AA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109AB</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109AC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109AD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109AE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109BA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109BB</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109BC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109BD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109BE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109GA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109GB</b>	<b>YES, 1.8-5.5V</b>	-

<b>R5F109GC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109GD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109GE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109LA</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109LB</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109LC</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109LD</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F109LE</b>	<b>YES, 1.8-5.5V</b>	-
<b>R5F10A6A</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10A6C</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10A6D</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10A6E</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AAA</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AAC</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AAD</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AAE</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10ABA</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10ABC</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10ABD</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10ABE</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AGA</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AGC</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AGD</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AGE</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AGF</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AGG</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10ALC</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10ALD</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10ALE</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10ALF</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10ALG</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AME</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AMF</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10AMG</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BAC</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BAD</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BAE</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BAF</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BAG</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BBC</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BBB</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BBE</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BBF</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BBG</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BGC</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BGD</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BGE</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BGF</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BGG</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BLC</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BLD</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BLE</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BLF</b>	<b>YES, 2.7-5.5V</b>	-
<b>R5F10BLG</b>	<b>YES, 2.7-5.5V</b>	-

R5F10BME	YES, 2.7-5.5V	-
R5F10BMF	YES, 2.7-5.5V	-
R5F10BMG	YES, 2.7-5.5V	-
R5F10E8A	YES, 1.8-3.6V	-
R5F10E8C	YES, 1.8-3.6V	-
R5F10E8D	YES, 1.8-3.6V	-
R5F10E8E	YES, 1.8-3.6V	-
R5F10EBA	YES, 1.8-3.6V	-
R5F10EBC	YES, 1.8-3.6V	-
R5F10EBD	YES, 1.8-3.6V	-
R5F10EBE	YES, 1.8-3.6V	-
R5F10EGA	YES, 1.8-3.6V	-
R5F10EGC	YES, 1.8-3.6V	-
R5F10EGD	YES, 1.8-3.6V	-
R5F10EGE	YES, 1.8-3.6V	-
R5F10ELC	YES, 1.8-3.6V	-
R5F10ELD	YES, 1.8-3.6V	-
R5F10ELE	YES, 1.8-3.6V	-
R5F10PAD	YES, 2.7-5.5V	-
R5F10PAE	YES, 2.7-5.5V	-
R5F10PBD	YES, 2.7-5.5V	-
R5F10PBE	YES, 2.7-5.5V	-
R5F10PGD	YES, 2.7-5.5V	-
R5F10PGE	YES, 2.7-5.5V	-
R5F10PGF	YES, 2.7-5.5V	-
R5F10PGG	YES, 2.7-5.5V	-
R5F10PGH	YES, 2.7-5.5V	-
R5F10PGJ	YES, 2.7-5.5V	-
R5F10PLE	YES, 2.7-5.5V	-
R5F10PLF	YES, 2.7-5.5V	-
R5F10PLG	YES, 2.7-5.5V	-
R5F10PLH	YES, 2.7-5.5V	-
R5F10PLJ	YES, 2.7-5.5V	-
R5F10PME	YES, 2.7-5.5V	-
R5F10PMF	YES, 2.7-5.5V	-
R5F10PMG	YES, 2.7-5.5V	-
R5F10PMH	YES, 2.7-5.5V	-
R5F10PMJ	YES, 2.7-5.5V	-
R5F10PPE	YES, 2.7-5.5V	-
R5F10PPF	YES, 2.7-5.5V	-
R5F10PPG	YES, 2.7-5.5V	-
R5F10PPH	YES, 2.7-5.5V	-
R5F10WLA	YES, 1.8-5.5V	-
R5F10WLC	YES, 1.8-5.5V	-
R5F10WLD	YES, 1.8-5.5V	-
R5F10WLE	YES, 1.8-5.5V	-
R5F10WLF	YES, 1.8-5.5V	-
R5F10WLG	YES, 1.8-5.5V	-
R5F10WMA	YES, 1.8-5.5V	-
R5F10WMC	YES, 1.8-5.5V	-
R5F10WMD	YES, 1.8-5.5V	-
R5F10WME	YES, 1.8-5.5V	-
R5F10WMF	YES, 1.8-5.5V	-
R5F10WMG	YES, 1.8-5.5V	-

<b>R5F10Y14</b>	<b>YES, 4.5-5.5V</b>	-
<b>R5F10Y16</b>	<b>YES, 4.5-5.5V</b>	-
<b>R5F10Y17</b>	<b>YES, 4.5-5.5V</b>	-
<b>R5F10Y44</b>	<b>YES, 4.5-5.5V</b>	-
<b>R5F10Y46</b>	<b>YES, 4.5-5.5V</b>	-
<b>R5F10Y47</b>	<b>YES, 4.5-5.5V</b>	-
<b>R5F56x (RX600)</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>R5F564MF</b>	<b>YES, 2.7-3.6V</b>	-
<b>R5F564MG</b>	<b>YES, 2.7-3.6V</b>	-
<b>R5F564MJ</b>	<b>YES, 2.7-3.6V</b>	-
<b>R5F564ML</b>	<b>YES, 2.7-3.6V</b>	-
<b>MSP430F1xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>MSP430F1101A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1111A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1121A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1122</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1132</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F122</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1222</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F123</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1232</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F133</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F135</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F147</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1471</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F148</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1481</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F149</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1491</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F155</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F156</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F157</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1610</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1611</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F1612</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F167</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F168</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F169</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>MSP430F2001</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2002</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2003</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2011</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2012</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2013</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2101</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2111</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2112</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2121</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2122</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2131</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2132</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2232</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2234</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>

<b>MSP430F2252</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2254</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2272</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2274</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F233</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2330</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F235</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2350</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2370</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2410</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2416</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2417</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2418</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2419</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F247</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2471</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F248</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2481</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F249</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2491</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2616</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2617</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2618</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F2619</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>MSP430F412</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F413</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4132</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F415</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4152</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F417</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F423</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F423A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F425</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4250</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F425A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4260</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F427</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4270</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F427A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F435</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4351</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F436</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4361</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F437</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4371</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F447</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F448</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4481</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F449</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4491</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4616</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F46161</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4617</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>

<b>MSP430F46171</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4618</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F46181</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4619</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F46191</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F47166</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F47167</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F47176</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F47177</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F47186</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F47187</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F47196</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F47197</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4783</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4784</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4793</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F4794</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FE423</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FE4232</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FE423A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FE4242</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FE425</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FE4252</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FE425A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FE427</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FE4272</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FE427A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG4250</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG4260</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG4270</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG437</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG438</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG439</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG4616</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG4617</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG4618</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG4619</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG477</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG478</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FG479</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FW423</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FW425</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430FW427</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F5xx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>MSP430F5131</b>	<b>YES, 1.8-3.6V</b>	<b>-</b>
<b>MSP430F5132</b>	<b>YES, 1.8-3.6V</b>	<b>-</b>
<b>MSP430F5151</b>	<b>YES, 1.8-3.6V</b>	<b>-</b>
<b>MSP430F5152</b>	<b>YES, 1.8-3.6V</b>	<b>-</b>
<b>MSP430F5171</b>	<b>YES, 1.8-3.6V</b>	<b>-</b>
<b>MSP430F5172</b>	<b>YES, 1.8-3.6V</b>	<b>-</b>
<b>MSP430F5232</b>	<b>YES, 1.8-3.6V</b>	<b>-</b>
<b>MSP430F5234</b>	<b>YES, 1.8-3.6V</b>	<b>-</b>
<b>MSP430F5237</b>	<b>YES, 1.8-3.6V</b>	<b>-</b>
<b>MSP430F5239</b>	<b>YES, 1.8-3.6V</b>	<b>-</b>

<b>MSP430F5242</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5244</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5247</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5249</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5304</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5308</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5309</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5310</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5324</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5325</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5326</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5327</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5328</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5329</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5333</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5335</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5336</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5338</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5340</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5341</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5342</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5358</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5359</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5418</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F5418A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5419</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F5419A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5435</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F5435A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5436</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F5436A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5437</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F5437A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5438</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>MSP430F5438A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5500</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5501</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5502</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5503</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5504</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5505</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5506</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5507</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5508</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5509</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5510</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5513</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5514</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5515</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5517</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5519</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5521</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5522</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5524</b>	<b>YES, 1.8-3.6V</b>	-

<b>MSP430F5525</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5526</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5527</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5528</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5529</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5630</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5631</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5632</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5633</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5634</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5635</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5636</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5637</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5638</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5658</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F5659</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6XXX</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>MSP430F6433</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6435</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6436</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6438</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6458</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6459</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6630</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6631</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6632</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6633</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6634</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6635</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6636</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6637</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6638</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6658</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6659</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6720</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6720A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6721</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6721A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6723</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6723A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6724</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6724A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6725</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6725A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6726</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6726A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6730</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6730A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6731</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6731A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6733</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6733A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6734</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6734A</b>	<b>YES, 1.8-3.6V</b>	-

<b>MSP430F6735</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6735A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6736</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6736A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67451</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67451A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6745A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67461</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67461A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6746A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67471</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67471A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6747A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67481</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67481A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6748A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67491</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67491A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6749A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67651</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67651A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6765A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67661</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67661A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6766A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67671</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67671A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6767A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67681</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67681A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6768A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67691</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67691A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6769A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67751</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67751A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6775A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67761</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67761A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6776A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67771</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67771A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6777A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67781</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67781A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6778A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67791</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F67791A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430F6779A</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430FR2xxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>MSP430FR2000</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430FR2100</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430FR2110</b>	<b>YES, 1.8-3.6V</b>	-
<b>MSP430FR2111</b>	<b>YES, 1.8-3.6V</b>	-

<b>MSP430G2xxx</b>	FORTE	PRESTO
<b>MSP430G2001</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2101</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2102</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2111</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2112</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2113</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2121</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2131</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2132</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2152</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2153</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2201</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2202</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2203</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2211</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2212</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2213</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2221</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2231</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2232</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2233</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2252</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2253</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2302</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2303</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2312</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2313</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2332</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2333</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2352</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2353</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2402</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2403</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2412</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2413</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2432</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2433</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2444</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2452</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2453</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2513</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2533</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2544</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2553</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430G2744</b>	<b>YES, 2.2-3.6V</b>	<b>YES, 3V</b>
<b>MSP430I2xxx</b>	FORTE	PRESTO
<b>MSP430I2020</b>	<b>YES, 2.2-3.6V</b>	-
<b>MSP430I2021</b>	<b>YES, 2.2-3.6V</b>	-
<b>MSP430I2030</b>	<b>YES, 2.2-3.6V</b>	-
<b>MSP430I2031</b>	<b>YES, 2.2-3.6V</b>	-
<b>MSP430I2040</b>	<b>YES, 2.2-3.6V</b>	-
<b>MSP430I2041</b>	<b>YES, 2.2-3.6V</b>	-
<b>CC430xxxx</b>	FORTE	PRESTO

<b>CC430F5123</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F5125</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F5133</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F5135</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F5137</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F5143</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F5145</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F5147</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F6125</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F6126</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F6127</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F6135</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F6137</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F6143</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F6145</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CC430F6147</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>CCxxxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>CC1110F16</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC1110F32</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC1110F8</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC1111F16</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC1111F32</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC1111F8</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2430F128</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2430F32</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2430F64</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2431</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2510F16</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2510F32</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2510F8</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2511F16</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2511F32</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2511F8</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2530F128</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2530F256</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2530F32</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2530F64</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2531F256</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2533F32</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2533F64</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2533F96</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2540F128</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2540F256</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2541F128</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>CC2541F256</b>	<b>YES, 2.0-3.6V</b>	<b>YES, 3V</b>
<b>EFM8</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>EFM8BB10F2</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8BB10F4</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8BB10F8</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8BB21F16</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8BB22F16</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8BB31F16</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8BB31F32</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8BB31F64</b>	<b>YES, 2.2-3.6V</b>	-

<b>EFM8LB10F16</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8LB11F16</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8LB11F32</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8LB12F32</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8LB12F64</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8SB10F2</b>	<b>YES, 1.8-3.6V</b>	-
<b>EFM8SB10F4</b>	<b>YES, 1.8-3.6V</b>	-
<b>EFM8SB10F8</b>	<b>YES, 1.8-3.6V</b>	-
<b>EFM8SB20F16</b>	<b>YES, 2.0-3.6V</b>	-
<b>EFM8SB20F32</b>	<b>YES, 2.0-3.6V</b>	-
<b>EFM8SB20F64</b>	<b>YES, 2.0-3.6V</b>	-
<b>EFM8UB10F16</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8UB10F8</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8UB11F16</b>	<b>YES, 2.2-3.6V</b>	-
<b>EFM8UB20F32</b>	<b>YES, 2.7-5.2V</b>	-
<b>EFM8UB20F64</b>	<b>YES, 2.7-5.2V</b>	-
<b>C8051</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>C8051F300</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F301</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F302</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F303</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F304</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F305</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F310</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F311</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F312</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F313</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F314</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F315</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F316</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F317</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F320</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F321</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F326</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F327</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F330</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F331</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F332</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F333</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F334</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F335</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F336</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F337</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F338</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F339</b>	<b>YES, 2.7-3.6V</b>	-
<b>C8051F340</b>	<b>YES, 2.7-5.2V</b>	-
<b>C8051F341</b>	<b>YES, 2.7-5.2V</b>	-
<b>C8051F342</b>	<b>YES, 2.7-5.2V</b>	-
<b>C8051F343</b>	<b>YES, 2.7-5.2V</b>	-
<b>C8051F344</b>	<b>YES, 2.7-5.2V</b>	-
<b>C8051F345</b>	<b>YES, 2.7-5.2V</b>	-
<b>C8051F346</b>	<b>YES, 2.7-5.2V</b>	-
<b>C8051F347</b>	<b>YES, 2.7-5.2V</b>	-
<b>C8051F348</b>	<b>YES, 2.7-5.2V</b>	-

C8051F349	YES, 2.7-5.2V	-
C8051F34A	YES, 2.7-5.2V	-
C8051F34B	YES, 2.7-5.2V	-
C8051F34C	YES, 2.7-5.2V	-
C8051F34D	YES, 2.7-5.2V	-
C8051F350	YES, 2.7-3.6V	-
C8051F351	YES, 2.7-3.6V	-
C8051F352	YES, 2.7-3.6V	-
C8051F353	YES, 2.7-3.6V	-
C8051F360	YES, 2.7-3.6V	-
C8051F361	YES, 2.7-3.6V	-
C8051F362	YES, 2.7-3.6V	-
C8051F363	YES, 2.7-3.6V	-
C8051F364	YES, 2.7-3.6V	-
C8051F365	YES, 2.7-3.6V	-
C8051F366	YES, 2.7-3.6V	-
C8051F367	YES, 2.7-3.6V	-
C8051F368	YES, 2.7-3.6V	-
C8051F369	YES, 2.7-3.6V	-
C8051F370	YES, 1.8-3.6V	-
C8051F371	YES, 1.8-3.6V	-
C8051F374	YES, 1.8-3.6V	-
C8051F375	YES, 1.8-3.6V	-
C8051F380	YES, 2.7-5.2V	-
C8051F381	YES, 2.7-5.2V	-
C8051F382	YES, 2.7-5.2V	-
C8051F383	YES, 2.7-5.2V	-
C8051F384	YES, 2.7-5.2V	-
C8051F385	YES, 2.7-5.2V	-
C8051F386	YES, 2.7-5.2V	-
C8051F387	YES, 2.7-5.2V	-
C8051F388	YES, 2.7-5.2V	-
C8051F389	YES, 2.7-5.2V	-
C8051F38A	YES, 2.7-5.2V	-
C8051F38B	YES, 2.7-5.2V	-
C8051F38C	YES, 2.7-5.2V	-
C8051F390	YES, 1.8-3.6V	-
C8051F391	YES, 1.8-3.6V	-
C8051F392	YES, 1.8-3.6V	-
C8051F393	YES, 1.8-3.6V	-
C8051F394	YES, 1.8-3.6V	-
C8051F395	YES, 1.8-3.6V	-
C8051F396	YES, 1.8-3.6V	-
C8051F397	YES, 1.8-3.6V	-
C8051F398	YES, 1.8-3.6V	-
C8051F399	YES, 1.8-3.6V	-
C8051F410	YES, 2.4-5.2V	-
C8051F411	YES, 2.4-5.2V	-
C8051F412	YES, 2.4-5.2V	-
C8051F413	YES, 2.4-5.2V	-
C8051F501	YES, 1.8-5.2V	-
C8051F503	YES, 1.8-5.2V	-
C8051F505	YES, 1.8-5.2V	-
C8051F520	YES, 2.7-5.2V	-

C8051F521	YES, 2.7-5.2V	-
C8051F523	YES, 2.7-5.2V	-
C8051F524	YES, 2.7-5.2V	-
C8051F526	YES, 2.7-5.2V	-
C8051F527	YES, 2.7-5.2V	-
C8051F530	YES, 2.7-5.2V	-
C8051F531	YES, 2.7-5.2V	-
C8051F533	YES, 2.7-5.2V	-
C8051F585	YES, 1.8-5.2V	-
C8051F587	YES, 1.8-5.2V	-
C8051F850	YES, 2.2-3.6V	-
C8051F851	YES, 2.2-3.6V	-
C8051F852	YES, 2.2-3.6V	-
C8051F853	YES, 2.2-3.6V	-
C8051F854	YES, 2.2-3.6V	-
C8051F855	YES, 2.2-3.6V	-
C8051F860	YES, 2.2-3.6V	-
C8051F861	YES, 2.2-3.6V	-
C8051F862	YES, 2.2-3.6V	-
C8051F863	YES, 2.2-3.6V	-
C8051F864	YES, 2.2-3.6V	-
C8051F865	YES, 2.2-3.6V	-
C8051F901	YES, 1.8-3.6V	-
C8051F902	YES, 1.8-3.6V	-
C8051F911	YES, 1.8-3.6V	-
C8051F912	YES, 1.8-3.6V	-
C8051F920	YES, 1.8-3.6V	-
C8051F921	YES, 1.8-3.6V	-
C8051F930	YES, 1.8-3.6V	-
C8051F931	YES, 1.8-3.6V	-
C8051F960	YES, 1.8-3.8V	-
C8051F961	YES, 1.8-3.8V	-
C8051F962	YES, 1.8-3.8V	-
C8051F963	YES, 1.8-3.8V	-
C8051F964	YES, 1.8-3.8V	-
C8051F965	YES, 1.8-3.8V	-
C8051F966	YES, 1.8-3.8V	-
C8051F967	YES, 1.8-3.8V	-
C8051F968	YES, 1.8-3.8V	-
C8051F969	YES, 1.8-3.8V	-
<b>STM8</b>	FORTE	PRESTO
STM8AF5268	YES, 3.0-5.5V	-
STM8AF5269	YES, 3.0-5.5V	-
STM8AF5288	YES, 3.0-5.5V	-
STM8AF5289	YES, 3.0-5.5V	-
STM8AF528A	YES, 3.0-5.5V	-
STM8AF52A8	YES, 3.0-5.5V	-
STM8AF52A9	YES, 3.0-5.5V	-
STM8AF6213	YES, 3.0-5.5V	-
STM8AF6223	YES, 3.0-5.5V	-
STM8AF6226	YES, 3.0-5.5V	-
STM8AF6269	YES, 3.0-5.5V	-
STM8AF6286	YES, 3.0-5.5V	-
STM8AF6288	YES, 3.0-5.5V	-

<b>STM8AF6289</b>	<b>YES, 3.0-5.5V</b>	-
<b>STM8AF628A</b>	<b>YES, 3.0-5.5V</b>	-
<b>STM8AF62A6</b>	<b>YES, 3.0-5.5V</b>	-
<b>STM8AF62A8</b>	<b>YES, 3.0-5.5V</b>	-
<b>STM8AF62A9</b>	<b>YES, 3.0-5.5V</b>	-
<b>STM8AF62AA</b>	<b>YES, 3.0-5.5V</b>	-
<b>STM8AL3136</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8AL3138</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8AL3146</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8AL3148</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8AL3166</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8AL3168</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8AL3188</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8AL318A</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8AL3L46</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8AL3L48</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8AL3L66</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8AL3L68</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L051F3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L052C6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L052R8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L101F1</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L101F2</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L101F3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L101G2</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L101G3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L101K3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151C2</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151C3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151C4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151C6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151C8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151F2</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151F3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151G2</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151G3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151G4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151G6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151K2</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151K3</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151K4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151K6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151M8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151R6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L151R8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L152C4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L152C6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L152C8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L152K4</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L152K6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L152M8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L152R6</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L152R8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8L162M8</b>	<b>YES, 1.8-3.6V</b>	-

<b>STM8L162R8</b>	<b>YES, 1.8-3.6V</b>	-
<b>STM8S003F3</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S003K3</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S005C6</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S005K6</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S007C8</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S103F2</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S103F3</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S103K3</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S105C4</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S105C6</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S105K4</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S105K6</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S105S4</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S105S6</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207C6</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207C8</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207CB</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207K6</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207K8</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207M8</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207MB</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207R6</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207R8</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207RB</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207S6</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207S8</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S207SB</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S208C6</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S208C8</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S208CB</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S208MB</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S208R8</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S208RB</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S208S6</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S903F3</b>	<b>YES, 2.9-5.5V</b>	-
<b>STM8S903K3</b>	<b>YES, 2.9-5.5V</b>	-
<b>HCS08</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>MC9S08AC16</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08AC32</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08AC48</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08AC60</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08AC8</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08FL16</b>	<b>YES, 4.5-5.5V</b>	-
<b>MC9S08FL8</b>	<b>YES, 4.5-5.5V</b>	-
<b>MC9S08JM16</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08JM32</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08JM60</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08JM8</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PA16</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PA32</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PA4</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PA60</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PA8</b>	<b>YES, 2.7-5.5V</b>	-

<b>MC9S08PL16</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PL32</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PL4</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PL60</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PL8</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PT16</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PT32</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PT60</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08PT8</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08QD2</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08QD4</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08SH16</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08SH32</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08SH4</b>	<b>YES, 2.7-5.5V</b>	-
<b>MC9S08SH8</b>	<b>YES, 2.7-5.5V</b>	-
<b>PSoC</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>CY7C64215</b>	<b>YES, 4.5-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C21123</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C21223</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C21234</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C21323</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C21334</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C21434</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C21534</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C21634</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C24123</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C24223</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C24423</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C24794</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C24894</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C24994</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C27143</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C27243</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C27443</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C27543</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C27643</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C29466</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C29566</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C29666</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>CY8C29866</b>	<b>YES, 3.0-5.5V</b>	<b>YES, ≤5V</b>
<b>FPGA</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>GW1N-2</b>	<b>YES, 1.7-3.4V</b>	-
<b>1-Wire</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>DS1821</b>	<b>YES, 2.7-5.5V</b>	-
<b>DS1822</b>	<b>YES, 3.0-5.5V</b>	-
<b>DS1825</b>	<b>YES, 3.0-3.7V</b>	-
<b>DS18B20</b>	<b>YES, 3.0-5.5V</b>	-
<b>DS1971</b>	<b>YES, 2.8-5.2V</b>	-
<b>DS1972</b>	<b>YES, 2.8-5.2V</b>	-
<b>DS1973</b>	<b>YES, 2.8-5.2V</b>	-
<b>DS1982</b>	<b>YES, 2.8-5.5V</b>	-
<b>DS1985</b>	<b>YES, 2.8-5.5V</b>	-
<b>DS1992</b>	<b>YES, 2.8-5.5V</b>	-
<b>DS1993</b>	<b>YES, 2.8-5.5V</b>	-

<b>DS1995</b>	<b>YES, 2.8-5.5V</b>	-
<b>DS1996</b>	<b>YES, 2.8-5.5V</b>	-
<b>DS2406</b>	<b>YES, 2.8-5.5V</b>	-
<b>DS2430A</b>	<b>YES, 2.8-5.2V</b>	-
<b>DS2431</b>	<b>YES, 2.8-5.2V</b>	-
<b>DS24B33</b>	<b>YES, 2.8-5.2V</b>	-
<b>DS2502</b>	<b>YES, 2.8-5.5V</b>	-
<b>DS2505</b>	<b>YES, 2.8-5.5V</b>	-
<b>DS28E04-100</b>	<b>YES, 2.8-5.5V</b>	-
<b>DS28E05</b>	<b>YES, 1.7-3.6V</b>	-
<b>DS28EA00</b>	<b>YES, 3.0-5.5V</b>	-
<b>DS28EC20</b>	<b>YES, 3.3-5.0V</b>	-
<b>MAX31826</b>	<b>YES, 3.0-3.7V</b>	-
<b>UNI/O EEPROM</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>11AA010</b>	<b>YES, 1.8-5.5V</b>	-
<b>11AA020</b>	<b>YES, 1.8-5.5V</b>	-
<b>11AA040</b>	<b>YES, 1.8-5.5V</b>	-
<b>11AA080</b>	<b>YES, 1.8-5.5V</b>	-
<b>11AA160</b>	<b>YES, 1.8-5.5V</b>	-
<b>11AA161</b>	<b>YES, 1.8-5.5V</b>	-
<b>11LC010</b>	<b>YES, 2.5-5.5V</b>	-
<b>11LC020</b>	<b>YES, 2.5-5.5V</b>	-
<b>11LC040</b>	<b>YES, 2.5-5.5V</b>	-
<b>11LC080</b>	<b>YES, 2.5-5.5V</b>	-
<b>11LC160</b>	<b>YES, 2.5-5.5V</b>	-
<b>11LC161</b>	<b>YES, 2.5-5.5V</b>	-
<b>I2C EEPROM</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>24AA00</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA01</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA02</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA04</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA08</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA1025</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA128</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA256</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA32</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA512</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA515</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24AA64</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24C00</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24C01</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24C02</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24C04</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24C08</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24C1024</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24C128</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24C16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24C256</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24C32</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24C64</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24FC1025</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24FC128</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24FC256</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>

<b>24FC512</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24FC515</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24FC64</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC(S)21A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC(S)22A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC00</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC01</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC02</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC04</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC08</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC1025</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC128</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC16</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC256</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC32</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC512</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC515</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>24LC64</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>34AA04</b>	<b>YES, 1.7-3.6V</b>	<b>-</b>
<b>34C02</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>47C04</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>47C16</b>	<b>YES, 4.5-5.5V</b>	<b>YES</b>
<b>47L04</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>47L16</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>47L64</b>	<b>YES, 2.7-3.6V</b>	<b>-</b>
<b>85C72</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>85C82</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>85C92</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>AT24C01D</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>AT24C02D</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>AT24C04D</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>AT24C08D</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>AT24C16D</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>AT24C32D</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>AT24C32E</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>AT24C64D</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>BR24T256</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>CAT24C02</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>CAT24C04</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>CAT24C08</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>CAT24C16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24128</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24256</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24512</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24C01</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24C02</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24C04</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24C08</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24C16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24C32</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24C64</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24M01</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M24M02</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>

**SPI EEPROM**

FORTE

PRESTO

<b>25AA010</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>25AA020</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>25AA080</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>25AA1024</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>25AA128</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>25AA160</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>25AA256</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>25AA320</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>25AA40</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>25AA512</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>25AA640</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>25LC010</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>25LC020</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>25LC040</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>25LC080</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>25LC1024</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>25LC128</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>25LC160</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>25LC256</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>25LC320</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>25LC512</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>25LC640</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>48L256</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>48L512</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>48L640</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>48LM01</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>AT25010</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT25020</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT25040</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT25080</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT25128</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT25160</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT25256</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT25320</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>AT25512</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>AT25640</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>CAT25256</b>	<b>YES</b>	<b>YES</b>
<b>CAT25256-NO-ID</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>CAT25256-WITH-ID</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95010</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95020</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95040</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95080</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95080-DR</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95128</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95160</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95256</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95320</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95512</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95640</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95M01</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M95M02-DR</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>MR25H256A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>X25128</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>

SPI FLASH EPROM	FORTE	PRESTO
A25L80P	YES, 2.7-3.6V	YES, 3V
A25LQ32A	YES, 2.7-3.6V	YES, 3V
AT25DF041A	YES, 2.3-3.6V	YES, 3V
AT25DF081	YES, 1.7-1.9V	YES, ≤2V <sup>2)</sup>
AT25DF081A	YES, 2.7-3.6V	YES, 3V
AT25DF321	YES, 2.7-3.6V	YES, 3V
AT25DF641	YES, 2.7-3.6V	YES, 3V
AT25F1024	YES, 2.7-3.6V	YES, 3V
AT25F2048	YES, 2.7-3.6V	YES, 3V
AT25F4096	YES, 2.7-3.6V	YES, 3V
AT25F512	YES, 2.7-3.6V	YES, 3V
AT25F512A	YES, 2.7-3.6V	YES, 3V
AT25FS010	YES, 2.7-3.6V	YES, 3V
AT25FS040	YES, 2.7-3.6V	YES, 3V
AT25SF041	YES, 2.5-3.6V	YES, 3V
AT25SF041B	YES, 2.5-3.6V	YES, 3V
AT25SF081	YES, 2.5-3.6V	YES, 3V
AT25SF161	YES, 2.5-3.6V	YES, 3V
AT25SF321B	YES, 2.7-3.6V	-
AT25SF641B	YES, 2.7-3.6V	-
AT25SL321	YES, 1.8-2.0V	YES, ≤2V <sup>2)</sup>
AT25XE161D	YES, 1.8-3.6V	YES, 3V
AT26DF041	YES, 2.7-3.6V	YES, 3V
AT26DF081A	YES, 2.7-3.6V	YES, 3V
AT26DF161	YES, 2.7-3.6V	YES, 3V
AT26DF161A	YES, 2.7-3.6V	YES, 3V
AT26DF321	YES, 2.7-3.6V	YES, 3V
AT26F004	YES, 2.7-3.6V	YES, 3V
AT45DB011B	YES, 2.7-3.6V	YES, 3V
AT45DB011D	YES	YES
AT45DB011D-256	YES, 2.5-3.6V	YES, 3V
AT45DB011D-264	YES, 2.5-3.6V	YES, 3V
AT45DB021B	YES, 2.7-3.6V	YES, 3V
AT45DB021D	YES	YES
AT45DB021D-256	YES, 2.5-3.6V	YES, 3V
AT45DB021D-264	YES, 2.5-3.6V	YES, 3V
AT45DB021E	YES	YES
AT45DB021E-256	YES, 1.8-3.6V	YES, 3V
AT45DB021E-264	YES, 1.8-3.6V	YES, 3V
AT45DB041B	YES, 2.7-3.6V	YES, 3V
AT45DB041D	YES	YES
AT45DB041D-256	YES, 2.5-3.6V	YES, 3V
AT45DB041D-264	YES, 2.5-3.6V	YES, 3V
AT45DB041E	YES	YES
AT45DB041E-256	YES, 1.8-3.6V	YES, 3V
AT45DB041E-264	YES, 1.8-3.6V	YES, 3V
AT45DB081B	YES, 2.7-3.6V	YES, 3V
AT45DB081D	YES	YES
AT45DB081D-256	YES, 2.5-3.6V	YES, 3V
AT45DB081D-264	YES, 2.5-3.6V	YES, 3V
AT45DB081E	YES	YES
AT45DB081E-256	YES, 1.8-3.6V	YES, 3V
AT45DB081E-264	YES, 1.8-3.6V	YES, 3V

<b>AT45DB161B</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB161D</b>	<b>YES</b>	<b>YES</b>
<b>AT45DB161D-512</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB161D-528</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB161E</b>	<b>YES</b>	<b>YES</b>
<b>AT45DB161E-512</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB161E-528</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB321B</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB321D</b>	<b>YES</b>	<b>YES</b>
<b>AT45DB321D-512</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB321D-528</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB321E</b>	<b>YES</b>	<b>YES</b>
<b>AT45DB321E-512</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB321E-528</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB641E</b>	<b>YES</b>	<b>YES</b>
<b>AT45DB641E-256</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB641E-264</b>	<b>YES, 1.8-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB642D</b>	<b>YES</b>	<b>YES</b>
<b>AT45DB642D-1024</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>AT45DB642D-1056</b>	<b>YES, 2.5-3.6V</b>	<b>YES, 3V</b>
<b>EN25F16</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>EN25F40</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>EN25QH128A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>EN25QH16A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>EN25S16</b>	<b>YES, 1.8-1.9V</b>	<b>YES, <math>\leq 2V^2)</math></b>
<b>EN25S64</b>	<b>YES, 1.8-1.9V</b>	<b>YES, <math>\leq 2V^2)</math></b>
<b>F25L004A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>GD25Q127C</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>GD25Q16C</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>GD25Q32C</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>GD25Q64C</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>IS25LP016D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LP032D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LP064</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LP064A</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LP080D</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LP128</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LQ010B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LQ016B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LQ020B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LQ025B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LQ032B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LQ040B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LQ080B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25LQ512B</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>IS25WP032</b>	<b>YES, 1.8-1.9V</b>	<b>YES, <math>\leq 2V^2)</math></b>
<b>IS25WP064</b>	<b>YES, 1.8-1.9V</b>	<b>YES, <math>\leq 2V^2)</math></b>
<b>IS25WP080D</b>	<b>YES, 1.8-1.9V</b>	<b>YES, <math>\leq 2V^2)</math></b>
<b>IS25WP128</b>	<b>YES, 1.8-1.9V</b>	<b>YES, <math>\leq 2V^2)</math></b>
<b>IS25WQ020</b>	<b>YES, 1.8-1.9V</b>	<b>YES, <math>\leq 2V^2)</math></b>
<b>IS25WQ040</b>	<b>YES, 1.8-1.9V</b>	<b>YES, <math>\leq 2V^2)</math></b>
<b>LE25U40C</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>M25P05</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25P10</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>

<b>M25P10_2.3V</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>M25P128</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25P16</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25P20</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25P32</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25P40</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25P40_2.3V</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>M25P64</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25P80</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25PE10</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25PE20</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25PE40</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25PE80</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25PX16</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>M25PX32</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M25PX80</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>M45PE10</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M45PE20</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M45PE40</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>M45PE80</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MT25QL128</b>	<b>YES, 2.7-3.6V<sup>6)</sup></b>	<b>YES, 3V</b>
<b>MT25QL256A</b>	<b>YES, 2.7-3.6V<sup>6)</sup></b>	<b>YES, 3V</b>
<b>MT25QL512A</b>	<b>YES, 2.7-3.6V<sup>6)</sup></b>	<b>YES, 3V</b>
<b>MT25QU01GBBB</b>	<b>YES, 1.8-2.0V<sup>6)</sup></b>	-
<b>MT25QU128</b>	<b>YES, 1.8-2.0V<sup>6)</sup></b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>MT25QU256A</b>	<b>YES, 1.8-2.0V<sup>6)</sup></b>	-
<b>MT25QU512A</b>	<b>YES, 1.8-2.0V<sup>6)</sup></b>	-
<b>MX25L1006E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L12835F</b>	<b>YES, 2.7-3.6V<sup>6)</sup></b>	<b>YES, 3V</b>
<b>MX25L12845E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L1606E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L1633E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L1635D</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L2006E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L25635F</b>	<b>YES, 2.7-3.6V<sup>6)</sup></b>	<b>YES, 3V</b>
<b>MX25L25645G</b>	<b>YES, 2.7-3.6V<sup>5)6)</sup></b>	<b>YES, 3V<sup>5)</sup></b>
<b>MX25L3206E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L4005</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L4006E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L51245G</b>	<b>YES, 2.7-3.6V<sup>5)6)</sup></b>	<b>YES, 3V<sup>5)</sup></b>
<b>MX25L512E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L6405</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L6406E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L6435E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L6445E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L6473F</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L8005</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25L8006E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MX25U12835F</b>	<b>YES, 1.8-2.0V<sup>6)</sup></b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>MX25U1635E</b>	<b>YES, 1.8-2.0V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>MX25U3235E</b>	<b>YES, 1.8-2.0V</b>	-
<b>MX25U3235F</b>	<b>YES, 1.8-2.0V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>MX25V1635F</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>

<b>MX25V2033F</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MX25V4006E</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MX25V4035F</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MX25V8006E</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>MX66L1G45G</b>	<b>YES, 2.7-3.6V<sup>5)6)</sup></b>	<b>YES, 3V<sup>5)</sup></b>
<b>N25Q008A11E</b>	<b>YES, 1.8-2.0V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>N25Q00AA11G</b>	<b>YES, 1.8-2.0V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>N25Q00AA13G</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>N25Q016A11E</b>	<b>YES, 1.8-2.0V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>N25Q032A11E</b>	<b>YES, 1.8-2.0V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>N25Q032A13E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>N25Q064A11E</b>	<b>YES, 1.8-2.0V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>N25Q064A13E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>N25Q128A11E</b>	<b>YES, 1.8-2.0V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>N25Q128A13E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>N25Q256A11E</b>	<b>YES, 1.8-2.0V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>N25Q256A13E</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>N25Q512A13G</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>PM25LV010A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>PM25LV016B</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>PM25LV020</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>PM25LV040</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>PM25LV080B</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>PM25LV512A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL064L</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL116K</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL128P</b>	<b>YES</b>	<b>YES</b>
<b>S25FL128P-256kB</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL128P-64kB</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL128S-256kB</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL128S-64kB</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL132K</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL164K</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL208K</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL256S-256kB</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL256S-64kB</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FL512S-256kB</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>S25FS064S</b>	<b>YES, 1.8-2.0V<sup>5)</sup></b>	<b>YES, ≤2V<sup>2)5)</sup></b>
<b>SST25LF020A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>SST25LF040A</b>	<b>YES, 3.0-3.6V</b>	<b>YES, 3V</b>
<b>SST25PF040C</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>SST25VF010</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST25VF010A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST25VF016B</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST25VF020</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST25VF032B</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST25VF040</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST25VF040B</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST25VF064C</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST25VF080B</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST25VF512</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST25VF512A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST25WF040B</b>	<b>YES, 1.8-1.9V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>SST26VF016B</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>

<b>SST26VF032B</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST26VF064B</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>SST26WF040B</b>	<b>YES, 1.8-1.9V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>SST26WF064C</b>	<b>YES, 1.8-1.9V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>W25Q01JV</b>	<b>YES, 2.7-3.6V<sup>6)</sup></b>	<b>-</b>
<b>W25Q128BV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25Q128FV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25Q128JV</b>	<b>YES, 2.7-3.6V<sup>6)</sup></b>	<b>YES, 3V</b>
<b>W25Q128JW</b>	<b>YES, 1.8-1.9V<sup>6)</sup></b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>W25Q16BL</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>W25Q16DV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25Q16FW</b>	<b>YES, 1.8-1.9V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>W25Q16JV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25Q256FV</b>	<b>YES, 2.7-3.6V<sup>6)</sup></b>	<b>YES, 3V</b>
<b>W25Q256JV</b>	<b>YES, 2.7-3.6V<sup>6)</sup></b>	<b>YES, 3V</b>
<b>W25Q256JW</b>	<b>YES, 1.8-1.9V<sup>6)</sup></b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>W25Q32BV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25Q32FV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25Q32FW</b>	<b>YES, 1.8-1.9V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>W25Q32JV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25Q40CL</b>	<b>YES, 2.3-3.6V</b>	<b>YES, 3V</b>
<b>W25Q64BV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25Q64CV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25Q64FV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25Q64FW</b>	<b>YES, 1.8-1.9V</b>	<b>YES, ≤2V<sup>2)</sup></b>
<b>W25Q64JV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25Q80BV</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25X16A</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25X20</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25X40</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>W25X80</b>	<b>YES, 2.7-3.6V</b>	<b>YES, 3V</b>
<b>MicroWire EEPROM</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>93AA46A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA46B</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA46C</b>	<b>YES</b>	<b>YES</b>
<b>93AA46C-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA46C-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA56A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA56B</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA56C</b>	<b>YES</b>	<b>YES</b>
<b>93AA56C-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA56C-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA66A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA66B</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA66C</b>	<b>YES</b>	<b>YES</b>
<b>93AA66C-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA66C-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA76A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA76B</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA76C</b>	<b>YES</b>	<b>YES</b>
<b>93AA76C-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA76C-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>

<b>93AA86B</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA86C</b>	<b>YES</b>	<b>YES</b>
<b>93AA86C-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93AA86C-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C06</b>	<b>YES, 4.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93C46</b>	<b>YES</b>	<b>YES</b>
<b>93C46-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C46-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C46A</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>93C46B</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93C46C</b>	<b>YES</b>	<b>YES</b>
<b>93C46C-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C46C-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C56</b>	<b>YES</b>	<b>YES</b>
<b>93C56-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C56-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C56A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C56B</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C56C</b>	<b>YES</b>	<b>YES</b>
<b>93C56C-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C56C-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C66</b>	<b>YES</b>	<b>YES</b>
<b>93C66-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C66-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C66A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C66B</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C66C</b>	<b>YES</b>	<b>YES</b>
<b>93C66C-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C66C-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C76</b>	<b>YES</b>	<b>YES</b>
<b>93C76-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C76-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C76A</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C76B</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C76C</b>	<b>YES</b>	<b>YES</b>
<b>93C76C-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C76C-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C86</b>	<b>YES</b>	<b>YES</b>
<b>93C86-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C86-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C86A</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>93C86B</b>	<b>YES, 2.7-5.5V</b>	<b>YES, ≤5V</b>
<b>93C86C</b>	<b>YES</b>	<b>YES</b>
<b>93C86C-16</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93C86C-8</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC46A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC46B</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC46C</b>	<b>YES</b>	<b>YES</b>
<b>93LC46C-16</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC46C-8</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC56A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC56B</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC56C</b>	<b>YES</b>	<b>YES</b>
<b>93LC56C-16</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>

<b>93LC56C-8</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC66A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC66B</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC66C</b>	<b>YES</b>	<b>YES</b>
<b>93LC66C-16</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC66C-8</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC76A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC76B</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC76C</b>	<b>YES</b>	<b>YES</b>
<b>93LC76C-16</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC76C-8</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC86A</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC86B</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC86C</b>	<b>YES</b>	<b>YES</b>
<b>93LC86C-16</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>93LC86C-8</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>BR93H56</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>BR93H66</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>BR93H76</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>BR93H86</b>	<b>YES, 2.5-5.5V</b>	<b>YES, ≤5V</b>
<b>M93S46</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M93S56</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>M93S66</b>	<b>YES, 1.8-5.5V</b>	<b>YES, ≤5V</b>
<b>HCSxxx</b>	<b>FORTE</b>	<b>PRESTO</b>
<b>HCS300</b>	<b>YES, 2.0-5.5V</b>	-
<b>HCS301</b>	<b>YES, 3.5-5.5V</b>	-

**NOTES:****YES** - supported, 5V only**YES, ≤5V** - full range support (2.7V - 5.5V)**YES, 3V** - supported, 3V range (not 5V)

1) - Device must not be configured with the INTOSC and internal MCLR options simultaneously (see Microchip document 41204C).

2) - Device must be programmed with external supply voltage and HPR1V2 level shifter.

3) - Device requires VPP to be lower than 13 V for HVP programming, but PRESTO can only supply VPP of 13 V, the VPP have to be lowered using an external circuit.

See notes under PIC connections example in the PRESTO manual.

4) - Currently only a Single Partition Flash mode is supported.

5) - Only main data area support is implemented for this device.

6) - SPI QUAD interface also supported.

If there is only PICxxFxxxx version defined in the table and PICxxLFxxxx version of this chip exists, the PICxxFxxxx type can be selected in the UP program and it will suit for the LF version as well.

[www.asix.net](http://www.asix.net) - English

[www.asix.cz](http://www.asix.cz) - Czech